

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Tuesday, 16 March 2021 14:29
To: 'Chibi Mlambo'
Subject: RE: 1396

Dear Mr Mlambo,

Thank you for your correspondence.

Kindly note that EIMS is the Environmental Assessment Practitioner for the Sasol Irenedale Water Pipeline Authorisation Project. As such EIMS is unable to assist you with your request however, if you send through your details that can be passed onto the applicant for their consideration.

Should you have any further comments and queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Chibi Mlambo <mlambochibi1@gmail.com>
Sent: Tuesday, 13 October 2020 07:53
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: 1396

Good Morning

I hope this email finds you well , we Chibi J a Contractor based in Mpumalanga Bethal , we would like to enquire on how does one become a supplier in your company ?

Looking forward in building a mutually beneficial relationship with Eims.

Kind Regards
Nkosinathi Mlambo
Chibi J | Director |
065 941 5548

CURRICULUM VITAE

OF

NQOBILE LINAH XABA

PERSONAL DETAILS

NAME	:	NQOBILE LINAH
SURNAME	:	XABA
ID NO.	:	9503080134087
GENDER	:	FEMALE
HOME LANGUAGE	:	ZULU
OTHER LANGUAGES	:	ENGLISH, SOTHO AND XHOSA
NATIONALITY	:	SOUTH AFRICAN
CONTACT DETAILS	:	0726830751
EMAIL ADDRESS	:	nqobilelinah95@gmail.com
RESIDENTIAL ADDRESS	:	STAND NO. 7905
	:	EXT 11
	:	EMBALENHLE 2285
<u>EDUCATION QUALIFICATION</u>		
SCHOOL LAST ATTENDED	:	KIRIYATSHWANE SECONDARY SCHOOL
HIGHEST GRADE PASSED	:	GRADE 11
SUBJECTS	:	ISIZULU FIRST LANGUAGE, ENGLISH SECOND LANGUAGE, MATHEMATICS, LIFE SCIENCES, PHYSICAL SCIENCE, GEOGRAPHY AND LIFE ORIENTATION
COLLEGE	:	GERT SIBANDE TVET COLLEGE
QUALIFICATION	:	NATIONAL CERTIFICATE (VOCATIONAL) LEVEL 2
YEAR	:	2016

SUBJECTS	ENGLISH FIRST ADDITIONAL LANGUAGE, MATHEMATICS, LIFE ORIENTATION, ELECTRICAL PRINCIPLES AND PRACTICE, ELECTRICAL SYSTEMS AND CONSTRUCTION, ELECTRONIC CONTROL AND DIGITAL ELECTRONICS, WORKSHOP PRACTICE
COLLEGE	GERT SIBANDE TVET COLLEGE
QUALIFICATION	NATIONAL CERTIFICATE (VOCATIONAL) LEVEL 3
YEAR	2017
SUBJECTS	ENGLISH FIRST ADDITIONAL LANGUAGE, MATHEMATICS, LIFE ORIENTATION, ELECTRICAL PRINCIPLE AND PRACTICE, ELECTRICAL SYSTEMS AND CONSTRUCTION, ELECTRONIC CONTROL AND DIGITAL ELECTRONICS, ELECTRICAL WORKMANSHIP
COLLEGE	GERT SIBANDE TVET COLLEGE
QUALIFICATION	LEVEL 4
YEAR	CURRENTLY
SUBJECTS	ENGLISH FIRST ADDITIONAL LANGUAGE, MATHEMATICS, LIFE ORIENTATION, ELECTRICAL PRINCIPLE AND PRACTICE, ELECTRICAL SYSTEMS AND CONSTRUCTION, ELECTRONIC CONTROL AND DIGITAL ELECTRONICS, ELECTRICAL WORKMANSHIP
WORK EXPERIENCE	
NAME OF COMPANY	MAVUTHA CONSTRUCTORS INTERPRISE CC

POSITION	:	ASSISTANT (VOLUNTEER)
YEAR OF EMPLOYMENT	:	26 MARCH 2018 – 03 APRIL 2018
<u>REFERENCE</u>		
MIR MTHEMBU (FOREMAN)	:	071 559 1954
MIR GIFT NDLANGAMANDLA	:	076 188 6844



REPUBLIC OF SOUTH AFRICA

National Certificate (Vocational)

Level 2

Electrical Infrastructure and Construction

Awarded to

NOOBILE LINAH XABA

Identity number: 9503080134087

Fundamental subjects:

English First Additional Language
Mathematics
Life Orientation

Vocational subjects:

Electrical Principles and Practice
Electrical Systems and Construction
Electronic Control and Digital Electronics
Workshop Practice

% Achievement level

78	6
69	5
93	7
87	5
60	3
66	3
71	4
***	*

This candidate is awarded the National Certificate (Vocational).

The candidate has obtained the minimum 130 credits for this qualification, as registered on the National Qualifications Framework.

COMMISSIONER GENERAL OF POLICE

2020-09-08

M. S. L. KANEKUN

Chief Executive Officer

With effect from December 2019

M. S. L. KANEKUN

10103021

PAAG 1704539 7438 Y

Signature

This certificate is issued without alterations or additions of any kind.




UMALUSI



Council for Quality Assurance in
General and Further Education and Training
South Africa

7 7 7 4 4 7 8

See reverse for more information



Electrical Infrastructure Construction

Level 3

Awarded to

NOBILE LINAH XABA

Identity number: 9503080134087

Exam number: 0503080134087

Fundamental subjects:

English First Additional Language

Mathematics

Life Orientation

Vocational subjects:

Electrical Principles and Practice

Electrical Systems and Construction

Electrical Workmanship

Electronic Control and Digital Electronics

Achievement level	%
6	72
4	58
6	76
3	54
4	77
3	64
3	53
*	***

This candidate is awarded the National Certificate (Vocational)

The candidate has obtained the minimum 130 credits for this qualification, as registered on the National Qualifications Framework.

Chief Executive Office

This certificate is issued without allegations or evidence of any kind.

M. S. LAKEONETIS

Effect from December 1970
 10.193941
 SIGNATURE

180 94046968 M



UMALUSI



Council for Quality Assurance in
General and Further Education and Training
South Africa

8947592

See reverse for more information

EVANDER CAMPUS

Student Academic History For Term: V217 03

Student: XABA NOOBILE, LINAH., ME
Student Nr: 2016031500

Guardian: XAB6031500 XABA NL
Id: 9503080134087

Block	Level	Inspiro Code	Subject Code	Subject	Prac Mark	Year Mark	Final Mark	Exam	Res	Ind	Reg Type
V218	03	NQF4	50412040	04101124	ENGLISH FAL L4	00	79	62	Yes	03	V
V218	03	NQF4	50412040	07601034	LIFE ORIENTATION L2	00	78	77	Yes	03	V
V218	03	NQF4	50412040	10501084	MATHEMATICS L4	00	44	47	Yes	03	V
V218	03	NQF4	50412040	12041004	ELECTRICAL PRINCIPLES AND PRACTICES L4	72	58	52	Yes	03	V
V218	03	NQF4	50412040	12041014	ELECTRICAL WORKMANSHIP L4	77	56	62	Yes	03	V
V218	03	NQF4	50412040	12041024	ELECTRONIC CONTROL AND DIGITAL ELECTRO	85	84	42	Yes	08	V
V218	03	NQF4	50412040	12041034	ELECTRICAL SYSTEMS AND CONSTRUCTION L4	80	77	57	Yes	03	V
V217	03	NQF3	50312040	12041023	ELECTRONIC CONTROL AND DIGITAL ELECTRO	75	67	53	Yes	03	V
V217	03	NQF3	50312040	12041033	ELECTRICAL SYSTEMS AND CONSTRUCTION L3	92	72	77	Yes	03	V
V217	03	NQF3	50312040	12041003	ELECTRICAL PRINCIPLES AND PRACTICE L3	75	72	54	Yes	03	V
V217	03	NQF3	50312040	12041013	ELECTRICAL WORKMANSHIP L3	83	73	64	Yes	03	V
V217	03	NQF3	50312040	07601023	LIFE ORIENTATION L3	00	84	76	Yes	03	V
V217	03	NQF3	50312040	10501053	MATHEMATICS L3	00	53	58	Yes	03	V
V217	03	NQF3	50312040	04101113	ENGLISH FAL L3	00	67	72	Yes	03	V
V216	03	NQF2	50212040	04101102	English FAL L2	00	75	78	Yes	03	V
V216	03	NQF2	50212040	07601012	LIFE Orientation L2	00	90	93	Yes	01	V
V216	03	NQF2	50212040	10501042	Mathematics L2	00	66	66	Yes	03	V
V216	03	NQF2	50212040	12041022	Electronic Control and Digital Electronics L2	70	73	66	Yes	03	V
V216	03	NQF2	50212040	12041012	ELECTR WORKSHOP PRAC L2	70	75	71	Yes	03	V
V216	03	NQF2	50212040	12041082	Electrical Principles and Practice L2	70	78	87	Yes	01	V
V216	03	NQF2	50212040	12041032	Electrical Systems and Construction L2	72	67	60	Yes	03	V

Student's Total Outstanding Balance: R (50.00)

Campus Head

2019-03-06
Date

TEL: 011 711 6300
FAX: 011 711 6301



INCOME TAX

Notice of Registration

Enquiries should be addressed to SARS:

Contact Detail

SARS
Alberton
1528
Contact Centre Tel: 0800 00 SARS (7277)
Website www.sars.gov.za

NL XABA
5687 EXTENSION 6
SAKHILE
2431

Details

Taxpayer Reference No: 0614422269
Case No:
315435470
Date:
2019-06-12

Always quote this reference
number when contacting SARS

SOUTH AFRICAN REVENUE SERVICE



12-CS-2019

29 KERK STREET
STANDERTON 2430

Dear Taxpayer

NOTICE OF REGISTRATION

The South African Revenue Service (SARS) confirms registration of the following taxpayer:

Name and Surname: NOOBILE LINAH XABA
ID number: 9503080134087
Taxpayer reference number: 0614422269
Date of Registration: 2019-06-12

Your tax obligation

Depending on your circumstances, you may be required to submit an annual income tax return. Should you be a provisional taxpayer, returns and payments will be required every six months. More details can be obtained from the SARS website.

Any person who derives by way of income any amount which does not constitute remuneration or an allowance or advance contemplated in section 8(1) of the Income Tax Act is regarded as a Provisional Taxpayer and may be required to submit provisional returns.

Kindly notify SARS of any change to your registered particulars within 21 business days of such change.

Should you have any queries please call the SARS Contact Centre on 0800 00 SARS (7277). Remember to have your taxpayer reference number at hand when you call to enable us to assist you promptly.

Sincerely

ISSUED ON BEHALF OF THE SOUTH AFRICAN REVENUE SERVICE

RFDREG

L eng1

RV 2016.01.00

SV 1301

CT

03

NO



E
Y 2019

001/001



GOVAN MBEKI MUNICIPALITY
2020-01-14
P/Bag X1017, SECUNDA 2302
TEL: (017) 620 6000
GOVAN MBEKI MUNICIPALITY

Tax Invoice / Statement

Account Number 0002010281
NDLANGAMANDLA NA&S
STAND 7905
EXTENSION 11
EMBALENHLE
2285

Vat Registration No. 4000142424
GOVAN MBEKI MUNICIPALITY
Private Bag X1017
Secunda
2302
Tel: (017) 620 6000
Fax: (017) 634 8019

Statement Month
13 DEC 2019
Street Address
7905 EXTENTION STREET
Tax Invoice No.
0002010261201912

Er/No.
02011-00007905-000000-0000
Laird Area
0000
Vat Registration No.

Market Value
0.00
Deposit
540.00
Meter Reading Period
28/10/2019 - 26/11/2019

Meter Readings

#	Meter No.	Meter Type	Old Reading	New Reading	Consumption	Levied Amount
7905		WATER	13025.030	13040.000	15.000	306.45

Date	Code	Description	Units	Tariff	Value
		OPENING BALANCE			172.253.61
13/12/2019	010B01	BASIC WATER	15.000	@ 760.000	11.40
13/12/2019	010B01	BASIC WATER	1.000	@ 72.040.000	72.04
13/12/2019	070001	SEWERAGE BASIC CHARGE	1.000	@ 86.990.000	86.99
13/12/2019	010001	WATER	6.000	@ 20.430.000	122.58
13/12/2019	010001	WATER	9.000	@ 20.430.000	183.87
13/12/2019	010001	WATER	0.000	0.000.000	15.64
13/12/2019	009010	INTEREST 010B01 WATER	0.000	0.000.000	0.96
13/12/2019	009010	INTEREST 900081 MISCEL LANEUS)	0.000	0.000.000	681.95
13/12/2019	009010	INTEREST 900010 WATER	0.000	0.000.000	124.35
13/12/2019	009010	INTEREST 009008 VAT	0.000	0.000.000	141.96
13/12/2019	009010	INTEREST 010001 WATER	0.000	0.000.000	34.54
13/12/2019	009010	INTEREST 070001 SEWERAGE	0.000	0.000.000	8.89
13/12/2019	009010	INTEREST 900070 SEWERAGE	0.000	0.000.000	71.54
	009008	VAT			
120+ Days			90 Days	60 Days	30 Days
			3.418.89	1.618.10	1.659.29
					Current 1.556.71
					Total Due this month 173.810.32

Remittance Advice

Account Number 0002010261
Name NDLANGAMANDLA NA&S
Total Due on or before 07/01/2023
Easy/Pay Number 516015655077840002010261000000000008
Post Office Number 516015655077840002010261000000000008

Banking Details

Account Number 030192358
Name STANDARD BANK
Branch SECUNDA 053444
Reference 0002010281

NOTICE OF PERSONAL PARTICULARS

- Any changes to the personal particulars in your ID Book must be communicated to all relevant parties

2155/14

NOTICE OF CHANGE OF ADDRESS

- Keep the NOTICE OF CHANGE OF ADDRESS form in this pocket to report a change of address or a change in particular of your present address e.g. name of street and/or street number etc.

- Hand in at or post to the nearest regional/district office of the DEPARTMENT OF HOME AFFAIRS

I.D. No. 950308 0134 087



S.A. CITIZEN

SURNAME
XABA

FORE NAMES
NQOBILE LINAH

COUNTRY OF BIRTH
SOUTH AFRICA
DATE OF BIRTH
1995-03-08

DATE ISSUED
2013-11-19



ISSUED BY AUTHORITY OF
THE DIRECTOR-GENERAL
HOME AFFAIRS

ORIGINAL DOCUMENT IS A TRUE REPRESENTATION (COPY) OF THE
FURTHER CERTIFY THAT IT HAS ISSUED TO THE FOR AUTHENTICATION
CHANGE WAS NOT MADE TO THE ORIGINAL DOCUMENT.

COMMUNITY SERVICE CENTRE
2020-09-08
EMSALENNILE

1019344
FANG Sef
SMOUT

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Tuesday, 16 March 2021 14:39
To: 'Transvalia Pharmacy'
Subject: RE: Resume of Nqobile Xaba

Dear Transvalia,

Thank you for your correspondence. Kindly note that your CV will be passed onto the applicant for their consideration.

Should you have any further comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Transvalia Pharmacy <transvalia@medicarehealth.co.za>
Sent: Tuesday, 13 October 2020 15:00
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: Resume of Nqobile Xaba

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Wednesday, 28 October 2020 10:59
To: 'sisonkeyouthdevelopment10@gmail.com'
Subject: Email

Dear Thulani,

Thank you for your correspondence this morning.

As discussed, please can you provide EIMS with a written request for a meeting. Please can you also provide as much detail as possible in terms of the concerns the community has in relation to the project.

Should you have any further comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.



29 October 2020

Dear MS CHEYENNE MUTHUKARAPAN

On behalf of Sisonke youth Development located in CHARL CILLERS at Mpumalanga, GERT SIBANDE, I am writing to request the opportunity to meet you and discuss concerns about the BOJESSBRUIT Pipeline project 3km from our community that is about to commence.

On behalf of the community of CHARL CILLIERS would like to address some major concerns which we deem appropriate to address in a formal meeting, issues such as:

- *Start date of the project
- *Goals and Objectives
- *Impact on the community
- *Impact on the environment
- *How will the project accommodate local NPO's and NGO
- *How will the project accommodate the community as a whole

These are just a few concerns, as I have stated that a meeting will provide a suitable platform to address all the other concerns, we are looking forward to a response within the next 7 days, in which you can recommend the meeting date and time.

Kind Regards : THULANI POOE

SISONKE YOUTH DEVELOPMENT, NO 298 CHARL CILLIERS 2301
Email : Sisonkeyouthdevelopment10@gmail
contact :0760223003



Water & sanitation
Department:
Water and Sanitation
REPUBLIC OF SOUTH AFRICA

MPUMALANGA

Private Bag x11289, MIBOMBELA, 1200, Protram Building, Cnr Brown and Paul Kruger, MBOMBELA, 1200. Tel : 013 759 7300.
Enquiries: Ms Nevondo S Telephone: 012 318 0518 Reference: Environmental Impact Management Services

Environmental Impact Management Services

P.O. Box 2083

PINEGOWRIE

2123

Attention: Sir/Madam

**DEPARTMENT OF WATER AND SANITATION COMMENTS ON ENVIRONMENTAL
AUTHORISATION APPLICATION PROCESS FOR THE PROPOSED CONSTRUCTION OF A
WATER PIPELINE BETWEEN THE BOSJESSPRUIT COLLIERY, IN THE GERT SIBANDE
DISTRICT MUNICIPALITY, MPUMALANGA PROVINCE, SOUTH AFRICA**

Reference is made to the above-mentioned document, dated 16 October 2020. The Department has the following comments with regards to the proposed development.

1. Water Uses and Water Use Authorisations

1.1 The applicant should note that all activities that trigger section 21 water uses in terms of the National Water Act, Act 36 of 1998 (NWA), require a Water Use Licence Application (WULA) with the Department of Water and Sanitation.

1.2 Your attention is drawn to Government Notice No. 509 dated 26 August 2016 in Government Gazette No. 40229 which states that a General Authorisation (GA) is not applicable to the following:

- (a) *To the use of water in terms of section 21(c) or (i) of the Act for the rehabilitation of a wetland/watercourse as contemplated in General Authorisation 1198 published in Government Gazette 32805 dated 18 December 2009,*
- (b) *To the use of water in terms of section 21(c) or (i) of the Act within the regulated area of a watercourse where the Risk Class is Medium or High as determined by the Risk Matrix. This Risk Matrix must be completed by a suitably qualified SACNASP professional member;*
- (c) *In instances where an application must be made for a water use license for the authorisation of any other water use as defined in section 21 of the Act that may be associated with a new activity;*
- (d) *Where storage of water results from the impeding or diverting of flow or altering the bed, banks, course or characteristics of a watercourse; and*
- (e) *To any water use in terms of section 21(c) or (i) of the Act associated with construction, installation or maintenance of any sewerage pipelines, pipelines*



NATIONAL DEVELOPMENT PLAN
Our Future - make it work

carrying hazardous materials and to raw water and wastewater treatment works.

- 1.3 The river, stream and associated buffers must be treated as sensitive environment areas: caution must be exercised near the watercourses.
- 1.4 Please note that no person may use water unless permitted under the NWA. Should the applicant engage in any water use activity without the necessary water use authorisation, it will be regarded as an unlawful water use. The Applicant will thus be guilty of an offence and liable for a fine or imprisonment as stipulated in Section 151 of the NWA. A Pre-Water Use Authorisation Application meeting is recommended.

2 Solid Waste Management

- 2.1 The requirements of this Department with respect to solid waste must be strictly enforced and complied with. The waste management hierarchy must be implemented for all solid waste generated.
- 2.2 The Applicant should note that contaminated soil or other hazardous material must be disposed of at a permitted hazardous landfill site that is authorized to accept the said material and proof of this must be made available to this Department when required.
- 2.3 Should private contractors be used, all solid waste must be disposed of at a permitted landfill site and proof of this must be made available to this Department when required.
- 2.4 The recycling of suitable material is encouraged by this Department, provided it is properly managed.

3 Sewage and Wastewater Management

- 3.1 Washing, refuelling, maintaining of vehicles or the transfer of hazardous substances must be conducted within a bunded area. All drainage arising from the bunded area must be treated as a water containing waste and disposed of safely.
- 3.2 The following is applicable should small volumes of wastewater be generated during the construction phase:
 - ❖ Water containing waste must not be discharged into the natural environment, and;
 - ❖ Measures to contain the water containing waste and safely dispose thereof must be implemented.

4 Storm-water Management

- 4.1 It is imperative that there is proper management of storm water at the project site. This Department requests a storm-water Management Plan.
- 4.2 The storm water management plan should indicate the separation of clean and dirty water and illustrate treatment and disposal location of dirty water.
- 4.3 The Engineer or Contractor must ensure that only clean storm-water runoff enters the environment, ensure that all drainage locations are well monitored to prevent clogging and blockage of drainage lines.
- 4.4 Drainage must be controlled to ensure that runoff from the project area does not culminate in off-site pollution, flooding or result in any damage to properties downstream of any storm-water discharge point(s).

5 Erosion Control

- 5.1 Soil erosion onsite must be prevented at all times, i.e. pre-, during- and post-construction activities. Erosion control measures must be implemented in areas prone to erosion such as near water supply points, edges of slopes, etc. These measures could include the use of sand bags, hessian sheets, bidim, retention and replacement of vegetation.

5.2 Where the land has been disturbed during construction/excavation it must be re-habilitated and re-vegetated back to an acceptable state after construction/excavation.

5.3 Stockpiling of soil or any other materials used during the construction phase must not be allowed on or near steep slopes, near a watercourse or water body. This is to prevent pollution or the impediment of surface run-off. The Applicant must control and establish suitable mitigation measures to prevent the erosion of stockpiles.

6 Spillages Management

6.1 The Department has noted from page 91 of the report provided that control measures will be used to prevent contamination of groundwater, the applicants is requested to state all control measures to be used for the mitigation of such impacts.

6.2 Storage of material, chemicals, fuels etc. must not pose a risk to the surrounding environment, and this includes surface and groundwater. Temporary bunds must also be constructed around chemical or fuel storage areas to contain possible spillages.

6.3 It is important that any significant spillage of chemicals, fuels, etc. during the construction phase and/or operational phase is reported to this Office and other relevant authorities. In the event of a spill, the following steps can be taken:

- ❖ Stop the source of the spill;
- ❖ Contain the spill; All significant spills must be reported to this Department and other relevant authorities;
- ❖ Remove the spilled product for treatment and authorised disposal;
- ❖ Determine if there is any soil, groundwater or other environmental impact;
- ❖ If necessary, remedial action must be taken in consultation with this Department; and
- ❖ Incident must be documented.

7 General

7.1 No form of secondary pollution should arise from the disposal of sewage and refuse. The contractor must be clearly briefed on the method of disposal of such waste and compliance must be ensured/monitored. Any pollution problems arising from the above project is to be addressed immediately by the Applicant.

7.2 This Office reserves the right to inspect the site without prior notice in order to ensure that its requirements, as mentioned above, are adhered to. Should any problems be noted, measures must be undertaken immediately to rectify the situation.

7.3 This Department reserves the right to revise/withdraw these comments and request further information from the applicant should any other information that contradicts the above comes to light.


7.4 Notwithstanding the above, the responsibility rests with the Applicant to identify all sources or potential sources of pollution from his undertaking and to take appropriate measures to prevent any pollution of the environment.

**DEPARTMENT OF WATER AND SANITATION COMMENTS ON ENVIRONMENTAL
AUTHORISATION APPLICATION PROCESS FOR THE PROPOSED CONSTRUCTION OF A
WATER PIPELINE BETWEEN THE BOSJESSPRUIT COLLIERY, IN THE GERT SIBANDE
DISTRICT MUNICIPALITY, MPUMALANGA PROVINCE, SOUTH AFRICA.**

The applicant is advised to apply for all water uses in terms of section 21 of the National Water Act, 1998 (Act No 36 of 1998) on the DWS online system referred to as electronic Water Use Licence Application Administration System (eWULAAS), which is accessible on the Departmental website: www.dws.gov.za.

Should you have any queries, please do not hesitate to contact Ms Nevondo S on email address: Nevondos@dws.gov.za.

Yours faithfully:


PROVINCIAL HEAD: MPUMALANGA
DATE: 28/10/2020

Cheyenne Muthukarapan

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Sent: Thursday, 05 November 2020 12:54
To: bosjesspruit
Subject: FW: Message from KM_C458
Attachments: SKM_C45820110511291.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Good day

Kindly find attached comments from Department of water and Sanitation.
Note that the original will be sent to your office in due time.

Regards:
Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)
Tel:012 318 0518

From: minolta@dwa.gov.za [mailto:minolta@dwa.gov.za]
Sent: Thursday, 05 November 2020 11:30
To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Subject: Message from KM_C458

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Wednesday, 18 November 2020 15:45
To: Nevondo Seani (BHT); minolta@dwa.gov.za
Subject: RE: Message from KM_C458
Attachments: SKM_C45820110511291.pdf

Dear Ms Nevondo S.

Thank you for comments on the initial call to register document. Kindly note that as this is only the call to register for the project and therefore no reports have been submitted for public review and comment. With reference to point 6.1 of your comments as attached, please can you provide more details on the report referenced in the comments received.

Further to the above, EIMS would like to arrange a pre-application meeting with the Department. Please can you confirm your availability for a virtual pre-application meeting.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Sent: Thursday, 05 November 2020 12:54
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: FW: Message from KM_C458

Good day

Kindly find attached comments from Department of water and Sanitation.
Note that the original will be sent to your office in due time.

Regards:
Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)

[Tel:012 318 0518](tel:0123180518)

From: minolta@dwa.gov.za [<mailto:minolta@dwa.gov.za>]

Sent: Thursday, 05 November 2020 11:30

To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>

Subject: Message from KM_C458

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Friday, 27 November 2020 13:18
To: bosjesspruit; Nevondo Seani (BHT); minolta@dwa.gov.za
Subject: RE: Message from KM_C458
Attachments: 1396_Preapplication Meeting Register.docx

Dear Nevondo and Sam,

Thank you for taking the time to meet with EIMS yesterday.

Please could you find attached the register for your signatures. If you please both sign and return back to me as soon as possible, I will have the applicant and EIMS sign and returned to you with notes from the meeting.

Should you have any queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinegowrie, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Wednesday, 18 November 2020 15:45
To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>; minolta@dwa.gov.za
Subject: RE: Message from KM_C458

Dear Ms Nevondo S.

Thank you for comments on the initial call to register document. Kindly note that as this is only the call to register for the project and therefore no reports have been submitted for public review and comment. With reference to point 6.1 of your comments as attached, please can you provide more details on the report referenced in the comments received.

Further to the above, EIMS would like to arrange a pre-application meeting with the Department. Please can you confirm you're availability for a virtual pre-application meeting.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinegowrie, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>

Sent: Thursday, 05 November 2020 12:54

To: bosjesspruit <bosjesspruit@eims.co.za>

Subject: FW: Message from KM_C458

Good day

Kindly find attached comments from Department of water and Sanitation.
Note that the original will be sent to your office in due time.

Regards:

Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)
[Tel:012 318 0518](tel:0123180518)

From: minolta@dwa.gov.za [<mailto:minolta@dwa.gov.za>]

Sent: Thursday, 05 November 2020 11:30

To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>

Subject: Message from KM_C458

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Friday, 27 November 2020 13:34
To: bosjesspruit; Nevondo Seani (BHT); minolta@dwa.gov.za
Subject: RE: Message from KM_C458

Dear Nevondo,

As per our discussion yesterday, the quaternary catchment for the proposed project is located in the quaternary catchment C12E of the Vaal CMA.

Please can you confirm if you would be able to assist with the application process.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Wednesday, 18 November 2020 15:45
To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>; minolta@dwa.gov.za
Subject: RE: Message from KM_C458

Dear Ms Nevondo S.

Thank you for comments on the initial call to register document. Kindly note that as this is only the call to register for the project and therefore no reports have been submitted for public review and comment. With reference to point 6.1 of your comments as attached, please can you provide more details on the report referenced in the comments received.

Further to the above, EIMS would like to arrange a pre-application meeting with the Department. Please can you confirm your availability for a virtual pre-application meeting.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinegowrie, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>

Sent: Thursday, 05 November 2020 12:54

To: bosjesspruit <bosjesspruit@eims.co.za>

Subject: FW: Message from KM_C458

Good day

Kindly find attached comments from Department of water and Sanitation.
Note that the original will be sent to your office in due time.

Regards:

Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)
[Tel:012 318 0518](tel:0123180518)

From: minolta@dwa.gov.za [<mailto:minolta@dwa.gov.za>]

Sent: Thursday, 05 November 2020 11:30

To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>

Subject: Message from KM_C458

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

Cheyenne Muthukarapan

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Sent: Monday, 30 November 2020 10:16
To: bosjesspruit
Subject: RE: Message from KM_C458

Good Morning,

Kindly note that the Gauteng Office will assist you, from here onward.
If ever you don't have a contact person, I recommend you contact MR Mulaudzi Khathu for further advice regarding your Application.

*Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)
Tel: 012 318 0518*

From: bosjesspruit [mailto:bosjesspruit@eims.co.za]
Sent: Friday, 27 November 2020 13:34
To: bosjesspruit <bosjesspruit@eims.co.za>; Nevondo Seani (BHT) <NevondoS@dws.gov.za>; minolta@dwa.gov.za
Subject: RE: Message from KM_C458

Dear Nevondo,

As per our discussion yesterday, the quaternary catchment for the proposed project is located in the quaternary catchment C12E of the Vaal CMA.

Please can you confirm if you would be able to assist with the application process.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
M 074 585 0994
F 086 571 9047
E cheyenne@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Wednesday, 18 November 2020 15:45

To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>; minolta@dwa.gov.za
Subject: RE: Message from KM_C458

Dear Ms Nevondo S.

Thank you for comments on the initial call to register document. Kindly note that as this is only the call to register for the project and therefore no reports have been submitted for public review and comment. With reference to point 6.1 of your comments as attached, please can you provide more details on the report referenced in the comments received.

Further to the above, EIMS would like to arrange a pre-application meeting with the Department. Please can you confirm your availability for a virtual pre-application meeting.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Sent: Thursday, 05 November 2020 12:54
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: FW: Message from KM_C458

Good day

Kindly find attached comments from Department of water and Sanitation.
Note that the original will be sent to your office in due time.

Regards:
Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)
[Tel:012 318 0518](tel:0123180518)

From: minolta@dwa.gov.za [<mailto:minolta@dwa.gov.za>]
Sent: Thursday, 05 November 2020 11:30
To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Subject: Message from KM_C458

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

Cheyenne Muthukarapan

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Sent: Monday, 30 November 2020 10:20
To: bosjesspruit
Subject: RE: Message from KM_C458
Attachments: 1396_Preapplication Meeting Register.docx for EIMS.docx

Good Morning,

Kindly find attached.

*Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)
Tel:012 318 0518*

From: bosjesspruit [mailto:bosjesspruit@eims.co.za]
Sent: Friday, 27 November 2020 13:18
To: bosjesspruit <bosjesspruit@eims.co.za>; Nevondo Seani (BHT) <NevondoS@dws.gov.za>; minolta@dwa.gov.za
Subject: RE: Message from KM_C458

Dear Nevondo and Sam,

Thank you for taking the time to meet with EIMS yesterday.

Please could you find attached the register for your signatures. If you please both sign and return back to me as soon as possible, I will have the applicant and EIMS sign and returned to you with notes from the meeting.

Should you have any queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Wednesday, 18 November 2020 15:45
To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>; minolta@dwa.gov.za
Subject: RE: Message from KM_C458

Dear Ms Nevondo S.

Thank you for comments on the initial call to register document. Kindly note that as this is only the call to register for the project and therefore no reports have been submitted for public review and comment. With reference to point 6.1 of your comments as attached, please can you provide more details on the report referenced in the comments received.

Further to the above, EIMS would like to arrange a pre-application meeting with the Department. Please can you confirm your availability for a virtual pre-application meeting.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Nevondo Seani (BHT) <NevondoS@dws.gov.za>
Sent: Thursday, 05 November 2020 12:54
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: FW: Message from KM_C458

Good day

Kindly find attached comments from Department of water and Sanitation.
Note that the original will be sent to your office in due time.

Regards:
Seani Nevondo
Department of Water and Sanitation
Pretoria West (Olifants CMA)
[Tel:012 318 0518](tel:0123180518)

From: minolta@dwa.gov.za [<mailto:minolta@dwa.gov.za>]
Sent: Thursday, 05 November 2020 11:30

To: Nevondo Seani (BHT) <NevondoS@dws.gov.za>

Subject: Message from KM_C458

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

DISCLAIMER: This message and any attachments are confidential and intended solely for the addressee. If you have received this message in error, please notify the system manager/sender. Any unauthorized use, alteration or dissemination is prohibited. The Department of Water and Sanitation further accepts no liability whatsoever for any loss, whether it be direct, indirect or consequential, arising from this e-mail, nor for any consequence of its use or storage.

ATTENDANCE REGISTER

EIMS Ref

1396

Project Name

SASOL IRENEDEALE WATER PIPELINE PROJECT

EIMS wishes to advise and confirm that by completing this register, you acknowledge, understand and agree that all information provided, whether personal or otherwise, may be used by EIMS in the development of the Interested and Affected Party (I&AP) database and agree that the information provided may be placed in the public domain. Please note that EIMS will rely on the contact information provided herein to provide future project notifications, and communications. Any errors or omissions in the contact details provided may hinder EIMS's ability to communicate with you in the future. By signing the register, the undersigned persons hereby acknowledge that they have been informed of the proposed development and have had access to the notification documents associated with the project.

Date	Name and Surname	Company	Address	Contact Details	Signature
26/11/2020	C Muthukarapan	EIMS	8 Dalment Street, Pine Park	Tel: 074 585 0994 Fax: 086 571 9047 Email: cheyenne@eims.co.za Other:	
26/11/2020	Seani Nevondo	DWS	474 Carl street Pretoria west	Tel: 012 318 0518 Fax: Email: Nevondos@dws.gov.za Other:	S. Nevondo
26/11/2020	Sammuel Maliaga	DWS	474 Carl street Pretoria west	Tel: 012 318 0570 Fax: Email: Maliagas@dws.gov.za Other:	S. Maliaga
				Tel: Fax: Email: Other:	
				Tel: Fax: Email: Other:	
				Tel: Fax:	



ATTENDANCE REGISTER

EIMS Ref

1396

Project Name

SASOL IRENEDEALE WATER PIPELINE PROJECT

EIMS wishes to advise and confirm that by completing this register, you acknowledge, understand and agree that all information provided, whether personal or otherwise, may be used by EIMS in the development of the Interested and Affected Party (I&AP) database and agree that the information provided may be placed in the public domain. Please note that EIMS will rely on the contact information provided herein to provide future project notifications, and communications. Any errors or omissions in the contact details provided may hinder EIMS's ability to communicate with you in the future. By signing the register, the undersigned persons hereby acknowledge that they have been informed of the proposed development and have had access to the notification documents associated with the project.

Date	Name and Surname	Company	Address	Contact Details	Signature
				Email:	
				Other:	
				Tel:	
				Fax:	
				Email:	
				Other:	
				Tel:	
				Fax:	
				Email:	
				Other:	
				Tel:	
				Fax:	
				Email:	
				Other:	
				Tel:	
				Fax:	
				Email:	
				Other:	
				Tel:	
				Fax:	
				Email:	
				Other:	

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Wednesday, 10 March 2021 13:39
To: nsovo@lefatsheminerals.co.za
Subject: RE: SASOL Irenedale pipeline

Good Day,

Thank you for your correspondence.

Kindly note that it is anticipated that the BAR will be available for review and comment towards the 20th March 2021.

Should you have any further comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: nsovo@lefatsheminerals.co.za <nsovo@lefatsheminerals.co.za>
Sent: Thursday, 04 March 2021 16:36
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: RE: SASOL Irenedale pipeline

Dear Cheyenne

I would like to follow up on the progress of this EIA process.
Do you have an indication of when the DBar will be available for commenting?

Regards,
Nsovo

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Tuesday, November 10, 2020 3:09 PM
To: nsovo@lefatsheminerals.co.za

Cc: bosjesspruit <bosjesspruit@eims.co.za>

Subject: RE: SASOL Irenedale pipeline

Dear Nsovo,

I trust this email finds you well?

Thank you for your correspondence.

Kindly note that you have been registered on the project database as an I&AP. Furthermore, kindly note that the project is still in the call to register phase however, as a registered I&AP you will be notified of the availability of the BAR and associated appendices once they become available. As requested, kindly find attached the initial notification letter for your pursual.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
M 074 585 0994
F 086 571 9047
E cheyenne@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: nsovo@lefatsheminerals.co.za <nsovo@lefatsheminerals.co.za>

Sent: Monday, 02 November 2020 10:06

To: Cheyenne Muthukarapan <cheyenne@eims.co.za>

Subject: SASOL Irenedale pipeline

Dear Cheyenne

I received your details from Cyrus, he mentioned that EIMS was doing the Environmental Authorisation for the Irenedale pipeline. We are updating the Bosjesspruit RSIP and would like to request that you register us as an I&AP on the project and please forward us a copy of your BID and EIA reports.

Kind regards,

Nsovo Mdungazi

Lead Environmental Consultant

Registered Environmental Assessment Practitioner (EAPASA 2019/219)

Lefatshe Minerals and Consulting (Pty) Ltd

Tel: +27 (0)12 546 0862 / +27 (0)79 311 3122 **Fax:** +27 (0) 86 566 1051

Email: Nsovo@lefatsheminerals.co.za

www.lefatsheminerals.co.za



Disclaimer

This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity of the addressee. The sender does not waive any legal privilege or confidentiality thereof. If you have received this email in error please notify the system manager. If you are not the intended recipient you are notified that disclosing, copying, distributing or taking any action in reliance on the contents of this information is strictly prohibited

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Wednesday, 28 October 2020 10:30
To: John Geeringh
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline
Attachments: Pipeline.kmz

Dear John,

Thank you for your correspondence regarding the proposed project.

As requested kindly find attached KMZ.

Should you have any further queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: John Geeringh <GeerinJH@eskom.co.za>
Sent: Monday, 19 October 2020 09:13
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Please send me a KMZ file of the proposed development.

Kind regards

John Geeringh (Pr Sci Nat)(EAPASA)
Senior Consultant Environmental Management
Land and Rights
Eskom Transmission Division
Megawatt Park, D1Y42, Maxwell Drive, Sunninghill, Sandton.
P O Box 1091, Johannesburg, 2000.
Tel: 011 516 7233
Cell: 083 632 7663
Fax: 086 661 4064
E-mail: john.geeringh@eskom.co.za

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Friday, 16 October 2020 15:20
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: 1396 Proposed Sasol Irenedale Water Pipeline

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

NB: This Email and its contents are subject to the Eskom Holdings SOC Ltd EMAIL LEGAL NOTICE which can be viewed at http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx

Cheyenne Muthukarapan

From: Nokukhanya Khumalo <nkhumalo@sahra.org.za>
Sent: Monday, 19 October 2020 10:06
To: bosjesspruit
Subject: FW: 1396 Proposed Sasol Irenedale Water Pipeline
Attachments: 1396_Intial Notification_ 20201016_CM_Combined.pdf; 1396 Locality Map.jpg

Follow Up Flag: Follow up
Flag Status: Flagged

Good Morning

Thank you for notifying SAHRA of the proposed development, SAHRA does not accepted mailed or emailed applications for comment or decision making since 2013. In order to receive comments from SAHRA, please create a case on our online platform called SAHRIS: <https://sahris.sahra.org.za/>. Here, you can then submit all relevant documentation related to an EA application (for comments in terms of section 38(8)) or for decision in terms of section 38(1) application.

Kind Regards,
Nokukhanya Khumalo

I will be working from home until further notice. Please contact me via email primarily or call me on 0839879817 during business hours.

From: Natasha Higgitt <nhiggitt@sahra.org.za>
Sent: Friday, 16 October 2020 15:26
To: Nokukhanya Khumalo <nkhumalo@sahra.org.za>
Subject: FW: 1396 Proposed Sasol Irenedale Water Pipeline

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Friday, 16 October 2020 15:23
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: 1396 Proposed Sasol Irenedale Water Pipeline

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinegowrie, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.


Natasha Higgitt

Heritage Officer: Archaeology, Palaeontology and Meteorites Unit

South African Heritage Resources Agency
- A nation united through heritage -

T: +27 21 462 4502/ 8660 | **C:** +27 82 507 0378 | **F:** +27 21 462 4509
E: nhiggitt@sahra.org.za | 111 Harrington Street | Cape Town |

www.sahra.org.za




Nokukhanya Khumalo

Heritage Officer: Archaeology, Palaeontology & Meteorites Unit

South African Heritage Resources Agency
- A nation united through heritage -

T: +27 21 462 4502/ 8654 | **C:** | **F:** +27 21 4624509
E: NKhumalo@sahra.org.za | 111 Harrington Street | Cape Town |

www.sahra.org.za



Cheyenne Muthukarapan

From: bosjesspruit
Sent: Tuesday, 16 March 2021 15:21
To: 'Ziyanda Mdoda'
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Dear Ziyanda,

Thank you for your correspondence regarding the above-mention project.

Kindly note that the proposed pipeline is estimated to be a PVC pipeline of approximately 3km in length with a diameter of 110mm to be trenched into the ground.

Further to the above, kindly note that the Basic Assessment Report and associated appendices will be available for public review and comment.

Should you have any further queries or comments please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
M 074 585 0994
F 086 571 9047
E cheyenne@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Ziyanda Mdoda <MaqubeZS@eskom.co.za>
Sent: Tuesday, 20 October 2020 18:10
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Good evening,

Kindly send me more information regarding the pipe, i.e. type of material and diameter.

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Friday, 16 October 2020 15:22
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: 1396 Proposed Sasol Irenedale Water Pipeline

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinegowrie, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

NB: This Email and its contents are subject to the Eskom Holdings SOC Ltd EMAIL LEGAL NOTICE which can be viewed at http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Wednesday, 31 March 2021 12:00
To: Lindokuhle Magagula
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Dear Lindokuhle,

Thank you for your correspondence.

Kindly note that the BAR will be made available in due course and a hard copy be couriered to you for your comment and review.

Should you have any further comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: Lindokuhle Magagula <LindokuhleM@gsibande.gov.za>
Sent: Friday, 23 October 2020 11:08
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Good day,

Please send soft copies or hard copies of the Draft BAR once it is out for comments and any other EIA application reports out for comment within the Gert Sibande District as I am the official responsible for commenting on EIA's in the District Municipality office.

Regards,

*Lindokuhle Magagula
Environmental Officer: Municipal Health and Environmental Services
Gert Sibande District Municipality: Community and Social Services
Tell: 017 801 7177*

Cell: 082 785 9725
Cnr of Jourbert & Oosthuise Street, Ermelo 2350
P.O. Box 1748, Ermelo 2350
S 26 31' 25.73" E 29 58' 19.25"
www.gsibande.gov.za



Save a tree. Don't print this e-mail unless it's really necessary

From: Tebogo Mogakabe
Sent: 19 October 2020 03:30 PM
To: Lindokuhle Magagula
Subject: FW: 1396 Proposed Sasol Irenedale Water Pipeline
Importance: High

From: Dan Hlanyane
Sent: Monday, October 19, 2020 1:27 PM
To: Tebogo Mogakabe <TebogoM@gsibande.gov.za>
Subject: FW: 1396 Proposed Sasol Irenedale Water Pipeline
Importance: High

FYA

From: Marinda Booth <Marinda@gsibande.gov.za>
Sent: Monday, 19 October 2020 13:27
To: Ephraim Thabethe <EphraimT@gsibande.gov.za>
Cc: Dan Hlanyane <Dan.Hlanyane@gsibande.gov.za>
Subject: FW: 1396 Proposed Sasol Irenedale Water Pipeline
Importance: High

Mr Thabethe,

I am not sure if we are also involved in the arrangements.

Kind Regards

Marinda

From: bosjesspruit [<mailto:bosjesspruit@eims.co.za>]
Sent: 16 October 2020 03:20 PM
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: 1396 Proposed Sasol Irenedale Water Pipeline

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinegowrie, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

TO WHOM IT MAY CONCERN

Eskom requirements for work in or near Eskom servitudes.

1. Eskom's rights and services must be acknowledged and respected at all times.
2. Eskom shall at all times retain unobstructed access to and egress from its servitudes.
3. Eskom's consent does not relieve the developer from obtaining the necessary statutory, land owner or municipal approvals.
4. Any cost incurred by Eskom as a result of non-compliance to any relevant environmental legislation will be charged to the developer.
5. If Eskom has to incur any expenditure in order to comply with statutory clearances or other regulations as a result of the developer's activities or because of the presence of his equipment or installation within the servitude restriction area, the developer shall pay such costs to Eskom on demand.
6. The use of explosives of any type within 500 metres of Eskom's services shall only occur with Eskom's previous written permission. If such permission is granted the developer must give at least fourteen working days prior notice of the commencement of blasting. This allows time for arrangements to be made for supervision and/or precautionary instructions to be issued in terms of the blasting process. It is advisable to make application separately in this regard.
7. Changes in ground level may not infringe statutory ground to conductor clearances or statutory visibility clearances. After any changes in ground level, the surface shall be rehabilitated and stabilised so as to prevent erosion. The measures taken shall be to Eskom's satisfaction.
8. Eskom shall not be liable for the death of or injury to any person or for the loss of or damage to any property whether as a result of the encroachment or of the use of the servitude area by the developer, his/her agent, contractors, employees, successors in title, and assignees. The developer indemnifies Eskom against loss, claims or damages including claims pertaining to consequential damages by third parties and whether as a result of damage to or interruption of or interference with Eskom's services or apparatus or otherwise. Eskom will not be held responsible for damage to the developer's equipment.
9. No mechanical equipment, including mechanical excavators or high lifting machinery, shall be used in the vicinity of Eskom's apparatus and/or services, without prior written permission having been granted by Eskom. If such permission is granted the developer must give at least seven working days' notice prior to the commencement of work. This allows time for arrangements to be made for supervision and/or precautionary instructions to be issued by the relevant Eskom Manager

Note: Where and electrical outage is required, at least fourteen work days are required to arrange it.

10. Eskom's rights and duties in the servitude shall be accepted as having prior right at all times and shall not be obstructed or interfered with.
11. Under no circumstances shall rubble, earth or other material be dumped within the servitude restriction area. The developer shall maintain the area concerned to Eskom's satisfaction. The developer shall be liable to Eskom for the cost of any remedial action which has to be carried out by Eskom.
12. The clearances between Eskom's live electrical equipment and the proposed construction work shall be observed as stipulated by *Regulation 15 of the Electrical Machinery Regulations of the Occupational Health and Safety Act, 1993 (Act 85 of 1993)*.
13. Equipment shall be regarded electrically live and therefore dangerous at all times.
14. In spite of the restrictions stipulated by Regulation 15 of the Electrical Machinery Regulations of the Occupational Health and Safety Act, 1993 (Act 85 of 1993), as an additional safety precaution, Eskom will not approve the erection of houses, or structures occupied or frequented by human beings, under the power lines or within the servitude restriction area.
15. Eskom may stipulate any additional requirements to highlight any possible exposure to Customers or Public to coming into contact or be exposed to any dangers of Eskom plant.
16. It is required of the developer to familiarise himself with all safety hazards related to Electrical plant.
17. Any third party servitudes encroaching on Eskom servitudes shall be registered against Eskom's title deed at the developer's own cost. If such a servitude is brought into being, its existence should be endorsed on the Eskom servitude deed concerned, while the third party's servitude deed must also include the rights of the affected Eskom servitude.

John Geeringh (Pr Sci Nat)(EAPASA)
Senior Consultant Environmental Management
Eskom Transmission Division: Land & Rights
Megawatt Park, D1Y42, Maxwell Drive, Sunninghill, Sandton.
P O Box 1091, Johannesburg, 2000.
Tel: 011 516 7233
Cell: 083 632 7663
Fax: 086 661 4064
E-mail: john.geeringh@eskom.co.za

Cheyenne Muthukarapan

From: bosjesspruit
Sent: Wednesday, 31 March 2021 12:06
To: John Geeringh
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Dear John,

Thank you for the general Eskom general conditions.

Please feel free to contact EIMS should you have any further comments or queries.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: John Geeringh <GeerinJH@eskom.co.za>
Sent: Wednesday, 28 October 2020 11:12
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Thanks, the proposed pipe line cross under existing Eskom 400kV power lines. Please find attached general comments regarding works at or near Eskom infrastructure and servitudes.

Kind regards

John Geeringh (Pr Sci Nat)(EAPASA)
Senior Consultant Environmental Management
Land and Rights
Eskom Transmission Division
Megawatt Park, D1Y42, Maxwell Drive, Sunninghill, Sandton.
P O Box 1091, Johannesburg, 2000.
Tel: 011 516 7233
Cell: 083 632 7663
Fax: 086 661 4064
E-mail: john.geeringh@eskom.co.za

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Wednesday, 28 October 2020 10:30
To: John Geeringh <GeerinJH@eskom.co.za>
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Dear John,

Thank you for your correspondence regarding the proposed project.

As requested kindly find attached KMZ.

Should you have any further queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T	011 789 7170	8 Dalmeny Road, Pine Park
M	074 585 0994	2194
F	086 571 9047	
E	cheyenne@eims.co.za	PO Box 2083, Pinetown, 2123,
W	www.eims.co.za	ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

From: John Geeringh <GeerinJH@eskom.co.za>
Sent: Monday, 19 October 2020 09:13
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: RE: 1396 Proposed Sasol Irenedale Water Pipeline

Please send me a KMZ file of the proposed development.

Kind regards

John Geeringh (Pr Sci Nat)(EAPASA)
Senior Consultant Environmental Management
Land and Rights
Eskom Transmission Division
Megawatt Park, D1Y42, Maxwell Drive, Sunninghill, Sandton.
P O Box 1091, Johannesburg, 2000.
Tel: 011 516 7233
Cell: 083 632 7663
Fax: 086 661 4064
E-mail: john.geeringh@eskom.co.za

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: Friday, 16 October 2020 15:20
To: bosjesspruit <bosjesspruit@eims.co.za>
Subject: 1396 Proposed Sasol Irenedale Water Pipeline

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194

PO Box 2083, Pinetown, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

NB: This Email and its contents are subject to the Eskom Holdings SOC Ltd EMAIL LEGAL NOTICE which can be viewed at http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx

NB: This Email and its contents are subject to the Eskom Holdings SOC Ltd EMAIL LEGAL NOTICE which can be viewed at http://www.eskom.co.za/Pages/Email_Legal_Spam_Disclaimer.aspx

From: bosjesspruit <bosjesspruit@eims.co.za>
Sent: 16 October 2020 03:23 PM
To: bosjesspruit
Subject: 1396 Proposed Sasol Irenedale Water Pipeline
Attachments: 1396_Intial Notification_ 20201016_CM_Combined.pdf; 1396 Locality Map.jpg

1151
oc

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



T 011 789 7170
F 086 571 9047
E bosjesspruit@eims.co.za
W www.eims.co.za

8 Dalmeny Road, Pine Park
2194
PO Box 2083, Pinegowrie, 2123,
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

08 October 2020

Our ref: 1396/CM/cm

To whom it may concern

Dear Sir or Madam:

NOTIFICATION REGARDING OPPORTUNITY TO PARTICIPATE IN ENVIRONMENTAL AUTHORISATION APPLICATION PROCESS FOR THE PROPOSED CONSTRUCTION OF A WATER PIPELINE BETWEEN THE BOSJESSPRUIT COLLIERY, IN THE GERT SIBANDE DISTRICT MUNICIPALITY, MPUMALANGA PROVINCE, SOUTH AFRICA.

Sasol Limited (hereafter referred to as the applicant) has appointed The Biodiversity Company (TBC) to assist in undertaking the required authorisation process for the proposed water pipeline. In turn TBC has appointed Environmental Impact Management Services (EIMS) as Environmental Assessment Practitioner (EAP) to assist with compiling the necessary reports and undertaking the statutory consultation processes in support of applications for:

- Environmental Authorisation (EA) in accordance with the NEMA- Listed activity/ies:
 - GNR 983: Listed Activities: 19; and
 - GNR 985: Listed Activities: 12 and 14 (if applicable)
- Water Use Licence (WUL) in accordance with the National Water Act – NWA (Act 36 of 1998) –
 - Listed Water uses: Section 21 (c) and Section 21 (i).

Additional listed activities and/or water uses may be identified during the process.

The applicant wishes to construct a water pipeline between Bosjesspruit Colliery and a local reservoir. The proposed pipeline is estimated to be approximately 3km in length and runs adjacent to existing servitudes. It is anticipated that numerous wetlands are traversed.

The proposed linear activity will be located on portion 9 of the Farm Voegelvallei 355 IS and portion 8, 26 and 27 of the Farm Stadensdam 333 IS, located in the Lekwa Local Municipality and the Govan Mbeki Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. The proposed linear activity is to be located approximately 3km south-west of the town Charles Cilliers and 30km north of the town Standerton. The starting point, middle point and ending point of the proposed activity is as follows:

- Start (Bosjesspruit Colliery): 26°42'38.86"S; 29°10'16.67"E
- Middle: 26°42'16.43"S; 29°10'2.35"E
- End (Local Reservoir): 26°41'41.81"S; 29°11'11.54"E

EIMS will be following the procedures defined in the Environmental Impact Assessment (EIA) Regulations (GRN982 of 2014, as amended) for undertaking a Basic Assessment process. In accordance with Chapter 6 of the EIA Regulations, a public participation process will be undertaken. You are hereby invited to register and comment on the proposed project and application/s. In order to ensure that you are identified and registered as an I&AP and that your comments are captured, please submit your name, contact details, the reason for your interest or any , in writing or telephonically, to

A 8 Dalmeny Road, Pine Park, Randburg | PO Box 2083, Pinegowrie 2123, South Africa
T (011) 789-7170 | F (086) 571- 9047

A Regus Business Centre, 14 Stewart Drive, Berea, East London | PO Box 19731, Tecoma, 5214, South Africa
T (043) 783-9826 | F (086) 571- 9047

W www.eims.co.za | E mail@eims.co.za | Co Reg 1992/005927/07 | VAT 489 013 9027

Directors: T Nkhahle, L Whitlow, A Smith.

2917




Locality Map

1396 TBC Sasol Irenedal Water Pipeline

Legend

- Towns
- Proposed Pipeline
- Roads
- Rivers



Data Sources:
CSG; ESRI; WR2012
Coord System: GCS WGS 1984
Datum: WGS 1984
Units: Degree
Ref: 1396 Locality Map

Date: 2020/10/11
EIMS Ref: 1396
Compiled: PH
Reviewed: CM
Approved: LW



Reference: N11/1/R
Date: 3 November 2020
Email: nrstat@nra.co.za

Contact Person: Mr J Oliver
Direct Line: +27 (0) 12 426 6200
Website: www.nra.co.za



EIMS Environmental Impact Management Services

By email: bosjespruit@eims.co.za

Dear Sir / Madam

PROPOSED SASOL IRENE DALE WATER PIPELINE – CONSTRUCTION OF A WATER PIPELINE BETWEEN THE BOSJESSPUIT COLLIERY, IN GERT SIBANDE DISTRICT MUNICIPALITY, MPUMALANGA PROVINCE

Your application dated 16 October 2020 has reference

The South African National Roads Agency SOC Limited (SANRAL) has no objection to the above-mentioned application as no roads or interchanges under the jurisdiction of SANRAL are affected.

Yours sincerely

A handwritten signature in black ink, appearing to read 'B. de Kruizer', is written over a horizontal line.

STATUTORY CONTROL OFFICER: NORTHERN REGION

HEAD OFFICE:
Central Business District
SECUNDA
P/Bag X1017
SECUNDA, 2302
RSA

Tel: +27 (0)17 620-6000
Fax: +27 (0)17 634-8019
E-mail: gbrecords@govanmbeki.gov.za
Website: www.govanmbeki.gov.za



A Model City and Centre of Excellence

MAIN REGIONAL OFFICES:
BETHAL OFFICE:
Chris Hani Street
BETHAL, 2310
TEL: +27 (0)17 624-3000
FAX: +27 (0)17 647-5232
LEANDRA OFFICE:
307 Shaka Maseko Road
Tel: +27 (0)17 683-0054
Fax: +27 (0)17 683-0385

OFFICE OF THE MUNICIPAL MANAGER
Tel (017) 620 – 6000 Fax (017) 634 8019

Your reference:

02 November 2020

Our reference: EIMS 1396
Enquiries: Mr H L van der Merwe
Tel nr: (017 620 6319)

Cheyenne Muthukarapan
P O Box 2083
PINEGOWRIE
2123

bosjesspruit@eims.co.za

Dear Ms Muthukarapan

RE: Environmental Authorisation Application Process, Construction of water pipeline between the Bosjesspruit Colliery

The subject above bears reference.

Kindly register the municipality as an I&AP for the mentioned project, with special reference to the official mentioned below:

Name: Ms. Rifumo Kubayi
Department of Community Services
Designation: Environmental Management Intern
Cell phone: 079 158 0333
Email: kubayi12347@gmail.com and Hendrik.vd@govanmbeki.gov.za
Postal Address: Private Bag X1017 Secunda 2302

Based on the proposed activity, Govan Mbeki Municipality does not have any objection, subjected to the following:

- Wetland Impact Assessment needs to be addressed as numerous wetlands traverse at the proposed project.

Other Satellite Offices:

Kinross: 27 Voortrekker Street, Tel: (017) 687 1155; Trichardt: 5 Bekker Street, Tel: (017) 638 0600
Evander: 13 Lisbon Street, Tel: (017) 6206300; Embalenhle: Stand 3868 Lindile Nxiweni Drive, Tel: (017) 685 4212;
Lebohang: 3265x 10 Butana Nkambule Road, Tel: (017) 638 3000; eMzini: 1st Street, Tel: (017) 647 3741

- How will this development pollute and/or degrade biotic and abiotic? What measures were explored to avoid these impacts and where impacts could not be avoided altogether, what measures were explored to minimise the impacts?

Kind Regards,


PP E K TSHABALALA (MS)
ACTING MUNICIPAL MANAGER

02/11/2020
DATE

Cheyenne Muthukarapan

From: Masindi Mmbadi Transnet Freight Rail JHB
<Masindi.Mmbadi@transnet.net>
Sent: Tuesday, 27 October 2020 08:02
To: bosjesspruit
Subject: FW: 1396 Proposed Sasol Irenedale Water Pipeline
Attachments: 1396_Intial Notification_ 20201016_CM_Combined.pdf; 1396 Locality Map.jpg; JHBWTCCUFPS101_PRP001_16_3709_001.pdf

Follow Up Flag: Follow up
Flag Status: Flagged

Good morning

Please find attached for your attention

Kind regards
Masindi

From: Thembinkosi Memela Transnet Property JHB
Sent: 23 October 2020 10:50 AM
To: Masindi Mmbadi Transnet Freight Rail JHB
Subject: FW: 1396 Proposed Sasol Irenedale Water Pipeline

Good day Masindi,


Please find attached as requested. Please note that this application does not affect any of Transnet properties.

Regards,


TRANSNET Thembinkosi Msikeleli Memela
Property Technician
Transnet Property: Corporate Real Estate

 : 011 308 1047  : 063 623 0029
 : 011 308 1227  : Thembinkosi.Memela@transnet.net
www.transnet.net

Transnet Property - Geo-Spatial - Inland Region
Room 604, 150 Commissioner Street, Johannesburg, 2001
P.O.Box 4671, JOHANNESBURG 2001/2000



DISCLAIMER: The information contained in this email and its attachments is both confidential and subject to copyright. If you are not the intended recipient, you are hereby notified not to read, disclose copy or use the contents thereof in any manner whatsoever, but are kindly requested to notify the sender and delete it immediately. This e-mail message does not create any legally binding contract between Transnet SOC LTD and the recipient, unless the contrary is specifically stated. Statements and opinions expressed in e-mails may not represent those of Transnet SOC LTD. While Transnet will take reasonable precautions, it cannot give any guarantee or warrant that this email will be free of virus infections, errors, interception and, therefore, cannot be held liable for any loss or damages incurred by the recipient, as a result of any of the above-mentioned factors.



08 October 2020

Our ref: 1396/CM/cm

To whom it may concern

Dear Sir or Madam:

NOTIFICATION REGARDING OPPORTUNITY TO PARTICIPATE IN ENVIRONMENTAL AUTHORISATION APPLICATION PROCESS FOR THE PROPOSED CONSTRUCTION OF A WATER PIPELINE BETWEEN THE BOSJESSPRUIT COLLIERY, IN THE GERT SIBANDE DISTRICT MUNICIPALITY, MPUMALANGA PROVINCE, SOUTH AFRICA.

Sasol Limited (hereafter referred to as the applicant) has appointed The Biodiversity Company (TBC) to assist in undertaking the required authorisation process for the proposed water pipeline. In turn TBC has appointed Environmental Impact Management Services (EIMS) as Environmental Assessment Practitioner (EAP) to assist with compiling the necessary reports and undertaking the statutory consultation processes in support of applications for:

- Environmental Authorisation (EA) in accordance with the NEMA- Listed activity/ies:
 - GNR 983: Listed Activities: 19; and
 - GNR 985: Listed Activities: 12 and 14 (if applicable)
- Water Use Licence (WUL) in accordance with the National Water Act – NWA (Act 36 of 1998) –
 - Listed Water uses: Section 21 (c) and Section 21 (i).

Additional listed activities and/or water uses may be identified during the process.

The applicant wishes to construct a water pipeline between Bosjesspruit Colliery and a local reservoir. The proposed pipeline is estimated to be approximately 3km in length and runs adjacent to existing servitudes. It is anticipated that numerous wetlands are traversed.

The proposed linear activity will be located on portion 9 of the Farm Voegelvallei 355 IS and portion 8, 26 and 27 of the Farm Stadensdam 333 IS, located in the Lekwa Local Municipality and the Govan Mbeki Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. The proposed linear activity is to be located approximately 3km south-west of the town Charles Cilliers and 30km north of the town Standerton. The starting point, middle point and ending point of the proposed activity is as follows:

- Start (Bosjesspruit Colliery): 26°42'38.86"S; 29°10'16.67"E
- Middle: 26°42'16.43"S; 29°10'2.35"E
- End (Local Reservoir): 26°41'41.81"S; 29°11'11.54"E

EIMS will be following the procedures defined in the Environmental Impact Assessment (EIA) Regulations (GRN982 of 2014, as amended) for undertaking a Basic Assessment process. In accordance with Chapter 6 of the EIA Regulations, a public participation process will be undertaken. You are hereby invited to register and comment on the proposed project and application/s. In order to ensure that you are identified and registered as an I&AP and that your comments are captured, please submit your name, contact details, the reason for your interest or any , in writing or telephonically, to

A 8 Dalmeny Road, Pine Park, Randburg | PO Box 2083, Pinetown 2123, South Africa
T (011) 789-7170 | F (086) 571- 9047

A Regus Business Centre, 14 Stewart Drive, Berea, East London | PO Box 19731, Tecoma, 5214, South Africa
T (043) 783-9826 | F (086) 571- 9047

W www.eims.co.za | E mail@eims.co.za | Co Reg 1992/005927/07 | VAT 489 013 9027

Directors: T Nkhahle, L Whitlow, A Smith.