

08 October 2020

Our ref: 1396/CM/cm

To whom it may concern

Dear Sir or Madam:

**NOTIFICATION REGARDING OPPORTUNITY TO PARTICIPATE IN ENVIRONMENTAL AUTHORISATION APPLICATION PROCESS FOR THE PROPOSED CONSTRUCTION OF A WATER PIPELINE BETWEEN THE BOSJESSPRUIT COLLIERY, IN THE GERT SIBANDE DISTRICT MUNICIPALITY, MPUMALANGA PROVINCE, SOUTH AFRICA.**

Sasol Limited (hereafter referred to as the applicant) has appointed The Biodiversity Company (TBC) to assist in undertaking the required authorisation process for the proposed water pipeline. In turn TBC has appointed Environmental Impact Management Services (EIMS) as Environmental Assessment Practitioner (EAP) to assist with compiling the necessary reports and undertaking the statutory consultation processes in support of applications for:

- Environmental Authorisation (EA) in accordance with the NEMA- Listed activity/ies:
  - GNR 983: Listed Activities: 19; and
  - GNR 985: Listed Activities: 12 and 14 (if applicable)
- Water Use Licence (WUL) in accordance with the National Water Act – NWA (Act 36 of 1998) –
  - Listed Water uses: Section 21 (c ) and Section 21 (i).

Additional listed activities and/or water uses may be identified during the process.

The applicant wishes to construct a water pipeline between Bosjesspruit Colliery and a local reservoir. The proposed pipeline is estimated to be approximately 3km in length and runs adjacent to existing servitudes. It is anticipated that numerous wetlands are traversed.

The proposed linear activity will be located on portion 9 of the Farm Voegelvallei 355 IS and portion 8, 26 and 27 of the Farm Stadensdam 333 IS, located in the Lekwa Local Municipality and the Govan Mbeki Local Municipality, Gert Sibande District Municipality, Mpumalanga Province. The proposed linear activity is to be located approximately 3km south-west of the town Charles Cilliers and 30km north of the town Standerton. The starting point, middle point and ending point of the proposed activity is as follows:

- Start (Bosjesspruit Colliery): 26°42'38.86"S; 29°10'16.67"E
- Middle: 26°42'16.43"S; 29°10'2.35"E
- End (Local Reservoir): 26°41'41.81"S; 29°11'11.54"E

EIMS will be following the procedures defined in the Environmental Impact Assessment (EIA) Regulations (GRN982 of 2014, as amended) for undertaking a Basic Assessment process. In accordance with Chapter 6 of the EIA Regulations, a public participation process will be undertaken. You are hereby invited to register and comment on the proposed project and application/s. In order to ensure that you are identified and registered as an I&AP and that your comments are captured, please submit your name, contact details, the reason for your interest or any , in writing or telephonically, to

A 8 Dalmeny Road, Pine Park, Randburg | PO Box 2083, Pinegowrie 2123, South Africa  
T (011) 789-7170 | F (086) 571- 9047

A Regus Business Centre, 14 Stewart Drive, Berea, East London | PO Box 19731, Tecoma, 5214, South Africa  
T (043) 783-9826 | F (086) 571- 9047

W [www.eims.co.za](http://www.eims.co.za) | E [mail@eims.co.za](mailto:mail@eims.co.za) | Co Reg 1992/005927/07 | VAT 489 013 9027

Directors: T Nkhahle, L Whitlow, A Smith.

EIMS no later than the 16<sup>th</sup> November 2020. Please note that only registered I&AP's will be informed of future project information and opportunities for participation.

In order to avoid missing out on opportunities for public participation please submit I&AP registrations, or any queries, comments, or concerns with regards to this application, as soon as possible to EIMS at:

Contact Person: Cheyenne Muthukarapan

EIMS Reference Number: 1396

Postal Address: P.O. Box 2083; Pinegowrie; 2123

Telephone: (011) 789 7170/ Fax: (086) 571 9047

E-mail: [bosjesspruit@eims.co.za](mailto:bosjesspruit@eims.co.za)

Please include the project reference number 1396 in all correspondence.

Please feel free to contact the undersigned if you have any queries or concerns.

Kind Regards,

Cheyenne Muthukarapan

12 Oktober 2020

EIMS Verwysingsnommer: 1396/CM/cm

Vir wie dit mag aangaan

Geagte Meneer of Mevrouw:

**KENNISGEWING RAKENDE DIE GELEENTHEID OM DEEL NEEM AAN DIE OMGEWINGS GOEDKEURING AANSOEKPROSES VIR DIE VOORGESTELDE KONSTRUKSIE VAN 'N WATER PYPLYN TUSSEN DIE BOSJESSPRUIT STEENKOOLOGYN, IN DIE GERT SIBANDE DISTRIKS MUNISIPALITEIT, MPUMALANGA PROVINSIE, SUID-AFRICA**

Sasol Bpk (hierna die Aansoeker) het The Biodiversity Company (TBC) aangestel vir die aansoek prosesse vir die voorgestelde water pyplyn. TBC het vir Environmental Impact Management Services (EIMS) aangestel as Environmental Assessment Practitioner (EAP) as Omgewingspraktisyn (EAP) vir die aansoek prosesse (insluitend publieke deelname), asook die gepaardgaande dokumente vir die volgende:

- Omgewingsgoedkeuring (EA) ingevolge die Nasionale Omgewingsbestuurs Wet (NEMA) – Gelyste Aktiwiteite:
  - GNR 983: Aktiwiteit: 19; en
  - GNR 985: Aktiwiteit: 12 en 14 (indien toepaslik)
- Water Lisensie (WUL) ingevolge die Nasionale Water Wet (NWA) (Wet 36 van 1998) –
  - Gelyste Watergebruik: Seksie 21 (c) en Seksie 21 (i).

Bykomende gelyste aktiwiteite en/of lisensies kan tydens die proses geïdentifiseer word.

Die aansoeker wil 'n water pyplyn bou tussen Bosjesspruit steenkoolmyn en 'n plaaslike reservoir. Die voorgestelde pyplyn is ongeveer 3km lank en volg bestaande servitude. Verskeie vleilande sal waarskynlik oorgesteek word.

Die voorgestelde lineêre projek is geleë op Gedeelte 9 van die Plaas Voegelvallei 355 IS en Gedeelte 8, 26 en 27 van die Plaas Stadensdam 333 IS, geleë in Lekwa plaaslike Munisipaliteit en die Govan Mbeki Plaaslike Munisipaliteit, Gert Sibande Distrik Munisipaliteit, Mpumalanga Provinsie. Die voorgestelde lineêre aktiwiteit sal ongeveer 3km suid-wes van Charles Cilliers en 30km noord van Standerton af wees. Die begin-, middel- en eindpunt van die voorgestelde aktiwiteit is soos volg:

- Begin (Bosjesspruit Steenkoolmyn): 26°42'38.86"S; 29°10'16.67"E
- Middel: 26°42'16.43"S; 29°10'2.35"E
- Einde (Plaaslike Reservoir): 26°41'41.81"S; 29°11'11.54"E

EIMS volg die prosedures om aansoek te doen vir 'n EA soos omskryf in die Omgewingsimpak Assesserings Regulasies, 2014 (GRN982 of 2014, soos gewysig) vir 'n Basiese Assesserings proses.

In ooreenstemming met hoofstuk 6, word 'n openbare deelname proses onderneem. U word hiermee uitgenooi om te registreer en kommentaar te lewer op die voorgestelde projek en aansoek. Om te verseker dat u geïdentifiseer en geregistreer is as 'n belanghebbende en geïmpakteerde party (B & GP) en dat u kommentaar gelewer word, moet u u naam, kontakbesonderhede, die rede vir u belang of enige kommentaar, skriftelik of telefonies aan EIMS voorlê teen 16 November 2020. Let daarop dat slegs geregistreerde B & GP's in kennis gestel sal word van toekomstige projek inligting en geleenthede vir deelname.

A 8 Dalmeny Road, Pine Park, Randburg | PO Box 2083, Pinetown 2123, South Africa  
T (011) 789-7170 | F (086) 571- 9047

A Regus Business Centre, 14 Stewart Drive, Berea, East London | PO Box 19731, Tecoma, 5214, South Africa  
T (043) 783-9826 | F (086) 571- 9047

W [www.eims.co.za](http://www.eims.co.za) | E [mail@eims.co.za](mailto:mail@eims.co.za) | Co Reg 1992/005927/07 | VAT 489 013 9027

Directors: T Nkhahle, L Whitlow, A Smith.

Om te verhoed dat u geleenthede vir openbare deelname misloop, moet u 'n B&GP-registrasie of enige navrae, kommentaar of probleme rakende hierdie aansoek so gou as moontlik by EIMS indien by:

Kontak Persoon: Cheyenne Muthukarapan

EIMS Verwysingsnommer: 1396

Posadres: Posbus 2083; Pinegowrie; 2123

Telefoon: (011) 789 7170/ Faks: (086) 571 9047


E-pos: [bosjesspruit@eims.co.za](mailto:bosjesspruit@eims.co.za)

Sluit die projek verwysingsnommer 1396 in alle korrespondensie in.

Kontak gerus die ondergetekende indien u enige vrae of vrae het.

Vriendelike Groete,

Cheyenne Muthukarapan



### Locality Map

1396 TBC Sasol Irenedal Water Pipeline

#### Legend

- Towns
- Proposed Pipeline
- Roads
- Rivers



#### Data Sources:

CSG; ESRI; WR2012  
Coord System: GCS WGS 1984  
Datum: WGS 1984  
Units: Degree  
Ref: 1396 Locality Map

Date: 2020/10/11  
EIMS Ref: 1396  
Compiled: PH  
Reviewed: CM  
Approved: LW

## Cheyenne Muthukarapan

---

**From:** bosjesspruit  
**Sent:** Friday, 16 October 2020 15:20  
**To:** bosjesspruit  
**Subject:** 1396 Proposed Sasol Irenedale Water Pipeline  
**Attachments:** 1396\_Intial Notification\_ 20201016\_CM\_Combined.pdf; 1396 Locality Map.jpg

**Bcc:** jpcmeyer@mjvn.co.za; ben.nel1@sasol.com; nzama.baloyi@bhpbilliton.com; ramaleho.saila@drdlr.gov.za; nadia@boshoffsmuts.co.za; johan@boshoffsmuts.co.za; robert.mpl@mweb.co.za; mlunie@mweb.co.za; hans@agrisa.co.za; conservation@birdlife.org.za; advocacy@birdlife.org.za; hanneline.smit-robinson@birdlife.org.za; advocacy@birdlife.org.za; bradleyg@ewt.org.za; ianl@ewt.org.za; eia@ewt.org.za; mariette@pea.org.za; thomas@groundwork.org.za; kate.katane@sanparks.org.za; dndlovu@salga.org.za; lbetha@wessanorth.co.za; karen@wessanorth.co.za; chris@wessa.co.za; rudzani.memukula@wessa.co.za; TebogoM@gsibande.gov.za; nosiphoH@gsibande.gov.za; john.geeringh@eskom.co.za; marinda@gsibande.gov.za; jabum@gsibande.gov.za; cahabile@gsibande.gov.za

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



**T** 011 789 7170  
**F** 086 571 9047  
**E** [bosjesspruit@eims.co.za](mailto:bosjesspruit@eims.co.za)  
**W** [www.eims.co.za](http://www.eims.co.za)

8 Dalmeny Road, Pine Park  
2194  
  
PO Box 2083, Pinegowrie, 2123,  
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

## Cheyenne Muthukarapan

---

**From:** bosjesspruit  
**Sent:** Friday, 16 October 2020 15:24  
**To:** bosjesspruit  
**Subject:** 1396 Proposed Sasol Irenedale Water Pipeline  
**Attachments:** 1396\_Intial Notification\_ 20201016\_CM\_Combined.pdf; 1396 Locality Map.jpg  
**Bcc:** zelandra@megaweb.co.za; jpcmeyer3646@gmail.com

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



**T** 011 789 7170  
**F** 086 571 9047  
**E** [bosjesspruit@eims.co.za](mailto:bosjesspruit@eims.co.za)  
**W** [www.eims.co.za](http://www.eims.co.za)

8 Dalmeny Road, Pine Park  
2194

PO Box 2083, Pinetown, 2123,  
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.



## Cheyenne Muthukarapan

---

**From:** bosjesspruit  
**Sent:** Friday, 16 October 2020 15:23  
**To:** bosjesspruit  
**Subject:** 1396 Proposed Sasol Irenedale Water Pipeline  
**Attachments:** 1396\_Intial Notification\_ 20201016\_CM\_Combined.pdf; 1396 Locality Map.jpg

**Bcc:** frans@mtpa.co.za; pretbenthal@gmail.com; cilia@mtpa.co.za; strydomd2@dwa.gov.za; Komilla.Knarasoo@mtpa.co.za; jeffreyMAI@daff.gov.za; siphokazin@daff.gov.za; annettes@nda.agric.za; smunzhedzi@environment.gov.za; msolomons@environment.gov.za; minister@environment.gov.za; MmaphakaT@daff.gov.za; khayaletu.matrose@dmr.gov.za; Malebo.Baloi@drdlr.gov.za; Ramaleho.saila@drdlr.gov.za; Nomfundo.Ndolela@drdlr.gov.za; karen.vanschalkwyk@drdlr.gov.za; lindiwe.mabona@drdlr.gov.za; jnalej@dws.gov.za; Mdakanep@dws.gov.za; Central@dws.gov.za; MorokaneM@dwa.gov.za; MumsyG@nda.agric.za; nhiggitt@sahra.org.za; nkhumalo@sahra.org.za; Barkhuizenr@nra.co.za; Shirley.Makhavhu@transnet.net; Nsumbulana.Mtsenga@transnet.net; ramulwela@nketoanafs.co.za; slekota@environment.gov.za

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



**T** 011 789 7170  
**F** 086 571 9047  
**E** [bosjesspruit@eims.co.za](mailto:bosjesspruit@eims.co.za)  
**W** [www.eims.co.za](http://www.eims.co.za)

8 Dalmeny Road, Pine Park  
2194  
  
PO Box 2083, Pinegowrie, 2123,  
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.



## Cheyenne Muthukarapan

---

**From:** bosjesspruit  
**Sent:** Friday, 16 October 2020 15:22  
**To:** bosjesspruit  
**Subject:** 1396 Proposed Sasol Irenedale Water Pipeline  
**Attachments:** 1396\_Intial Notification\_ 20201016\_CM\_Combined.pdf; 1396 Locality Map.jpg

**Bcc:** molotom@dws.gov.za; mudzirib@dws.gov.za; RalushaiM@dws.gov.za; tlagadii@dwa.gov.za; GumaF@dws.gov.za; martha.mokonyane@dmr.gov.za; deidre.herbst@eskom.co.za; MashabGT@eskom.co.za; MaqubeZS@eskom.co.za; motsisl@eskom.co.za; MDMahlalela@ruraldevelopment.gov.za; thokozani@environ1.agric.za; cdias@mpg.gov.za; nndlanya@mpg.gov.za; SHlatswayo@mpg.gov.za; tnfakeude@mpg.gov.za; careens@mpuhealth.gov.za; steynm@mpuhealth.gov.za; careens@mpuhealth.gov.za; zaneles@mpg.gov.za; zwdlamini@ruraldevelopment.gov.za; Lydia.Maphopha@dmr.gov.za; Aubrey.Tshivhandekano@dmr.gov.za; communicationdpwrt@mpg.gov.za; KdeWet@mweb.co.za; tshililon@dsdmpu.gov.za; VaswegJ@dwaf.gov.za; vanAswegenJ@dwa.gov.za; d.zoekop@lando.co.za; robert.mpl@mweb.co.za; franskrige@telkomsa.co.za

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan



**T** 011 789 7170  
**F** 086 571 9047  
**E** [bosjesspruit@eims.co.za](mailto:bosjesspruit@eims.co.za)  
**W** [www.eims.co.za](http://www.eims.co.za)

8 Dalmeny Road, Pine Park  
2194  
  
PO Box 2083, Pinegowrie, 2123,  
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.

## Cheyenne Muthukarapan

---

**From:** bosjesspruit  
**Sent:** Friday, 16 October 2020 15:22  
**To:** bosjesspruit  
**Subject:** 1396 Proposed Sasol Irenedale Water Pipeline  
**Attachments:** 1396\_Intial Notification\_ 20201016\_CM\_Combined.pdf; 1396 Locality Map.jpg

**Bcc:** zakheles@gsibande.gov.za; girly.choenyane@gsibande.gov.za; smalukhele8@gmail.com; tjzwanel@gmail.com; Lindokuhle.dhlamini6@gmail.com; preciousngcobo8@gmail.com; gntshangase@lekwalm.gov.za; lgamede@lekwalm.gov.za; office.mayor@govanmbeki.gov.za; npngubeni@govanmbeki.gov.za; mred@webmail.co.za; office.mm@govanmbeki.gov.za; clrsntuli@govanmbeki.gov.za; MabuleR@daff.gov.za; LubamboM@dws.gov.za; stmarebane@mpg.gov.za; BarbaraD@daff.gov.za; RhulaniC@daff.gov.za; nyathikazibw@mpg.gov.za; Ntombikhona.Dlamini@dmr.gov.za; Melusi.nkabinde@dmr.gov.za; martha.seshweni@dmr.gov.za; HazzeldinMamiane@drdlr.gov.za; simanga.nkosi@drdlr.gov.za; Colani.Sambo@drdlr.gov.za; Marguerite.Liebenberg@drdlr.gov.za; MalatsiB@dws.gov.za; BlairV@dws.gov.za; KhorombiK@dws.gov.za; KhwinanaP@dws.gov.za; MatsebaE@dws.gov.za

Dear Interested and Affected Party,

Kindly find attached notification regarding opportunity to participate in Environmental Authorisation Application Process for the proposed construction of a water pipeline between the Bosjesspruit Colliery, in the Gert Sibande District Municipality, Mpumalanga Province, South Africa.

Should you have any comments or queries please feel free to contact EIMS.

Warm regards,

Ms. Cheyenne Muthukarapan














**T** 011 789 7170  
**F** 086 571 9047  
**E** [bosjesspruit@eims.co.za](mailto:bosjesspruit@eims.co.za)  
**W** [www.eims.co.za](http://www.eims.co.za)


8 Dalmeny Road, Pine Park  
2194  
  
PO Box 2083, Pinegowrie, 2123,  
ZA

This e-mail and any attachment(s) thereto is intended solely for the confidential use of the intended recipient(s) and for the specific purpose(s) that it was intended. Unauthorised review, dissemination, distribution or copying of that e-mail is strictly prohibited. If you suspect that you may have received the mail in error, please desist from reading it, notify the sender immediately of the error, and return and/or destroy the original message.



				From	Subject	Received	S...	Cat...	Mention	
Older										
					 Fax Mess... Fax Status: 27137524186, Successful 1396 SASOL I... Fri 2020/10/16 23:30 Fax status of 27137524186 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27137524186, Successful 1396 SASOL I... Fri 2020/10/16 23:22 Fax status of 27137524186 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123196943, Successful 1396 SASOL I... Fri 2020/10/16 23:20 Fax status of 27123196943 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123412228, Successful 1396 SASOL I... Fri 2020/10/16 23:14 Fax status of 27123412228 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27137524186, Successful 1396 SASOL I... Fri 2020/10/16 23:14 Fax status of 27137524186 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123196943, Successful 1396 SASOL I... Fri 2020/10/16 23:13 Fax status of 27123196943 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27117895188, Successful 1396 SASOL I... Fri 2020/10/16 23:09 Fax status of 27117895188 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123412228, Successful 1396 SASOL I... Fri 2020/10/16 23:07 Fax status of 27123412228 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123196943, Successful 1396 SASOL I... Fri 2020/10/16 23:07 Fax status of 27123196943 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27117895188, Successful 1396 SASOL I... Fri 2020/10/16 23:05 Fax status of 27117895188 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123412228, Successful 1396 SASOL I... Fri 2020/10/16 23:04 Fax status of 27123412228 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123196943, Successful 1396 SASOL I... Fri 2020/10/16 23:04 Fax status of 27123196943 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27137524186, Successful 1396 SASOL I... Fri 2020/10/16 23:01 Fax status of 27137524186 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27176348019, Successful 1396 SASOL I... Fri 2020/10/16 23:01 Fax status of 27176348019 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27117895188, Successful 1396 SASOL I... Fri 2020/10/16 23:01 Fax status of 27117895188 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27116084682, Successful 1396 SASOL I... Fri 2020/10/16 23:00 Fax status of 27116084682 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27214653362, Successful 1396 SASOL I... Fri 2020/10/16 23:00 Fax status of 27214653362 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27137663480, Successful 1396 SASOL I... Fri 2020/10/16 23:00 Fax status of 27137663480 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27137668471, Successful 1396 SASOL I... Fri 2020/10/16 23:00 Fax status of 27137668471 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123698001, Successful 1396 SASOL I... Fri 2020/10/16 23:00 Fax status of 27123698001 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27866605676, Successful 1396 SASOL I... Fri 2020/10/16 22:59 Fax status of 27866605676 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27866605676, Successful 1396 SASOL I... Fri 2020/10/16 22:59 Fax status of 27866605676 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123412228, Successful 1396 SASOL I... Fri 2020/10/16 22:59 Fax status of 27123412228 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27866293694, Successful 1396 SASOL I... Fri 2020/10/16 22:57 Fax status of 27866293694 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27866293694, Successful 1396 SASOL I... Fri 2020/10/16 22:57 Fax status of 27866293694 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123412228, Successful 1396 SASOL I... Fri 2020/10/16 22:54 Fax status of 27123412228 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27137524186, Successful 1396 SASOL I... Fri 2020/10/16 16:23 Fax status of 27137524186 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27123412228, Successful 1396 SASOL I... Fri 2020/10/16 16:08 Fax status of 27123412228 FaxOut Notification.		2...			
					 Fax Mess... Fax Status: 27137524186, Successful 1396 SASOL I... Fri 2020/10/16 16:08 Fax status of 27137524186 FaxOut Notification.		2...			



				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27123196943, Successful 1396 SASOL I...	Fri 2020/10/16 16:08	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Successful 1396 SASOL I...	Fri 2020/10/16 16:06	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Successful 1396 SASOL I...	Fri 2020/10/16 16:04	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27176348019, Successful 1396 SASOL I...	Fri 2020/10/16 16:04	2...			
					Fax status of 27176348019 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Successful 1396 SASOL I...	Fri 2020/10/16 16:03	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137663480, Successful 1396 SASOL I...	Fri 2020/10/16 16:01	2...			
					Fax status of 27137663480 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27214653362, Successful 1396 SASOL I...	Fri 2020/10/16 15:59	2...			
					Fax status of 27214653362 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Successful 1396 SASOL I...	Fri 2020/10/16 15:59	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27176348019, Successful 1396 SASOL I...	Fri 2020/10/16 15:59	2...			
					Fax status of 27176348019 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27866293694, Successful 1396 SASOL I...	Fri 2020/10/16 15:56	2...			
					Fax status of 27866293694 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27866293694, Successful 1396 SASOL I...	Fri 2020/10/16 15:55	2...			
					Fax status of 27866293694 FaxOut Notification.					

				From	Subject	Received	S...Cat...	Mention	
Older									
				 Fax Mess...	Fax Status: 27117895188, Submitted 1396 SASOL ...	Fri 2020/10/16 23:00	2...		
					Fax status of 27117895188 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196372, Submitted 1396 SASOL ...	Fri 2020/10/16 23:00	2...		
					Fax status of 27123196372 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123128503, Submitted 1396 SASOL ...	Fri 2020/10/16 23:00	2...		
					Fax status of 27123128503 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27117895188, Submitted 1396 SASOL ...	Fri 2020/10/16 22:59	2...		
					Fax status of 27117895188 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27117895000, Submitted 1396 SASOL ...	Fri 2020/10/16 22:59	2...		
					Fax status of 27117895000 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27117895188, Submitted 1396 SASOL ...	Fri 2020/10/16 22:59	2...		
					Fax status of 27117895188 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27116084682, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27116084682 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196372, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123196372 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27333425665, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27333425665 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196372, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123196372 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196372, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123196372 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123412228, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123412228 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123412228, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123412228 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123412228, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123412228 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27137668471, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27137668471 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27137663480, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27137663480 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27137524186, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27137524186 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27137524186, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27137524186 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27137524186, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27137524186 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27124265500, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27124265500 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27137524186, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27137524186 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196943, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123196943 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123698001, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123698001 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196943, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123196943 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196943, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123196943 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27214653362, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27214653362 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123196943, Submitted 1396 SASOL ...	Fri 2020/10/16 22:58	2...		
					Fax status of 27123196943 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123368664, Submitted 1396 SASOL ...	Fri 2020/10/16 22:57	2...		
					Fax status of 27123368664 FaxOut Notification.				
				 Fax Mess...	Fax Status: 27123368664, Submitted 1396 SASOL ...	Fri 2020/10/16 22:57	2...		
					Fax status of 27123368664 FaxOut Notification.				







				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27123698001, Submitted 1396 SASOL ...	Fri 2020/10/16 15:44	2...			
					Fax status of 27123698001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Submitted 1396 SASOL ...	Fri 2020/10/16 15:44	2...			
					Fax status of 27312019525 FaxOut Notification.					

				From	Subject	Received	S...	Cat...	Mention	
<b>Older</b>										
					 Fax Mess... Fax Status: 27123128503, Failed 1396 SASOL Iren... Fax status of 27123128503 FaxOut Notification.	Fri 2020/10/16 23:35	2...			
					 Fax Mess... Fax Status: 27124265500, Failed 1396 SASOL Iren... Fax status of 27124265500 FaxOut Notification.	Fri 2020/10/16 23:34	2...			
					 Fax Mess... Fax Status: 27178111207, Failed 1396 SASOL Iren... Fax status of 27178111207 FaxOut Notification.	Fri 2020/10/16 23:32	2...			
					 Fax Mess... Fax Status: 27177126808, Failed 1396 SASOL Iren... Fax status of 27177126808 FaxOut Notification.	Fri 2020/10/16 23:31	2...			
					 Fax Mess... Fax Status: 27333425665, Failed 1396 SASOL Iren... Fax status of 27333425665 FaxOut Notification.	Fri 2020/10/16 23:28	2...			
					 Fax Mess... Fax Status: 27312019525, Failed 1396 SASOL Iren... Fax status of 27312019525 FaxOut Notification.	Fri 2020/10/16 23:27	2...			
					 Fax Mess... Fax Status: 27123128503, Temporary failure 1396 ... Fax status of 27123128503 FaxOut Notification.	Fri 2020/10/16 23:27	2...			
					 Fax Mess... Fax Status: 27312019525, Failed 1396 SASOL Iren... Fax status of 27312019525 FaxOut Notification.	Fri 2020/10/16 23:26	2...			
					 Fax Mess... Fax Status: 27123196372, Failed 1396 SASOL Iren... Fax status of 27123196372 FaxOut Notification.	Fri 2020/10/16 23:26	2...			
					 Fax Mess... Fax Status: 27123196372, Failed 1396 SASOL Iren... Fax status of 27123196372 FaxOut Notification.	Fri 2020/10/16 23:26	2...			
					 Fax Mess... Fax Status: 27123196372, Failed 1396 SASOL Iren... Fax status of 27123196372 FaxOut Notification.	Fri 2020/10/16 23:26	2...			
					 Fax Mess... Fax Status: 27123196372, Failed 1396 SASOL Iren... Fax status of 27123196372 FaxOut Notification.	Fri 2020/10/16 23:26	2...			
					 Fax Mess... Fax Status: 27124265500, Temporary failure 1396 ... Fax status of 27124265500 FaxOut Notification.	Fri 2020/10/16 23:26	2...			
					 Fax Mess... Fax Status: 27312019525, Failed 1396 SASOL Iren... Fax status of 27312019525 FaxOut Notification.	Fri 2020/10/16 23:25	2...			
					 Fax Mess... Fax Status: 27312019525, Failed 1396 SASOL Iren... Fax status of 27312019525 FaxOut Notification.	Fri 2020/10/16 23:24	2...			
					 Fax Mess... Fax Status: 27123368664, Failed 1396 SASOL Iren... Fax status of 27123368664 FaxOut Notification.	Fri 2020/10/16 23:24	2...			
					 Fax Mess... Fax Status: 27123368664, Failed 1396 SASOL Iren... Fax status of 27123368664 FaxOut Notification.	Fri 2020/10/16 23:24	2...			
					 Fax Mess... Fax Status: 27123368664, Failed 1396 SASOL Iren... Fax status of 27123368664 FaxOut Notification.	Fri 2020/10/16 23:24	2...			
					 Fax Mess... Fax Status: 27123368664, Failed 1396 SASOL Iren... Fax status of 27123368664 FaxOut Notification.	Fri 2020/10/16 23:24	2...			
					 Fax Mess... Fax Status: 27178111207, Temporary failure 1396 ... Fax status of 27178111207 FaxOut Notification.	Fri 2020/10/16 23:24	2...			
					 Fax Mess... Fax Status: 27123368664, Failed 1396 SASOL Iren... Fax status of 27123368664 FaxOut Notification.	Fri 2020/10/16 23:24	2...			
					 Fax Mess... Fax Status: 27177126808, Temporary failure 1396 ... Fax status of 27177126808 FaxOut Notification.	Fri 2020/10/16 23:23	2...			
					 Fax Mess... Fax Status: 27333425665, Temporary failure 1396 ... Fax status of 27333425665 FaxOut Notification.	Fri 2020/10/16 23:21	2...			
					 Fax Mess... Fax Status: 27123196372, Failed 1396 SASOL Iren... Fax status of 27123196372 FaxOut Notification.	Fri 2020/10/16 23:21	2...			
					 Fax Mess... Fax Status: 27123196372, Failed 1396 SASOL Iren... Fax status of 27123196372 FaxOut Notification.	Fri 2020/10/16 23:21	2...			
					 Fax Mess... Fax Status: 27123196372, Failed 1396 SASOL Iren... Fax status of 27123196372 FaxOut Notification.	Fri 2020/10/16 23:21	2...			
					 Fax Mess... Fax Status: 27137524186, Temporary failure 1396 ... Fax status of 27137524186 FaxOut Notification.	Fri 2020/10/16 23:21	2...			
					 Fax Mess... Fax Status: 27312019525, Temporary failure 1396 ... Fax status of 27312019525 FaxOut Notification.	Fri 2020/10/16 23:20	2...			
					 Fax Mess... Fax Status: 27312019525, Temporary failure 1396 ... Fax status of 27312019525 FaxOut Notification.	Fri 2020/10/16 23:19	2...			



				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:11	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:11	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:11	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:11	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 23:11	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27124265500, Temporary failure 1396 ...	Fri 2020/10/16 23:10	2...			
					Fax status of 27124265500 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178111207, Temporary failure 1396 ...	Fri 2020/10/16 23:08	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27333425665, Temporary failure 1396 ...	Fri 2020/10/16 23:07	2...			
					Fax status of 27333425665 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 23:07	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:07	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:07	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 23:07	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177126808, Temporary failure 1396 ...	Fri 2020/10/16 23:07	2...			
					Fax status of 27177126808 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:06	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123128503, Temporary failure 1396 ...	Fri 2020/10/16 23:06	2...			
					Fax status of 27123128503 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:06	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:06	2...			
					Fax status of 27800007788 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:06	2...			
					Fax status of 27800007788 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:06	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:06	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:06	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:06	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:06	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123412228, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27123412228 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:05	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:05	2...			
					Fax status of 27178434001 FaxOut Notification.					

				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:05	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:05	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27124265500, Temporary failure 1396 ...	Fri 2020/10/16 23:05	2...			
					Fax status of 27124265500 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 23:04	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27117895188, Temporary failure 1396 ...	Fri 2020/10/16 23:04	2...			
					Fax status of 27117895188 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178111207, Temporary failure 1396 ...	Fri 2020/10/16 23:04	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27333425665, Temporary failure 1396 ...	Fri 2020/10/16 23:03	2...			
					Fax status of 27333425665 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177126808, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27177126808 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123412228, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123412228 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27800007788 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27800007788 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123368664 FaxOut Notification.					

				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 23:02	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123412228, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27123412228 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123128503, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27123128503 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 23:01	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:00	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:00	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 23:00	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27117895188, Temporary failure 1396 ...	Fri 2020/10/16 23:00	2...			
					Fax status of 27117895188 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27117895000, Failed 1396 SASOL Iren...	Fri 2020/10/16 23:00	2...			
					Fax status of 27117895000 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27117895188, Temporary failure 1396 ...	Fri 2020/10/16 23:00	2...			
					Fax status of 27117895188 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27124265500, Temporary failure 1396 ...	Fri 2020/10/16 23:00	2...			
					Fax status of 27124265500 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 22:59	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27333425665, Temporary failure 1396 ...	Fri 2020/10/16 22:59	2...			
					Fax status of 27333425665 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 22:59	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178111207, Temporary failure 1396 ...	Fri 2020/10/16 22:59	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 22:59	2...			
					Fax status of 27123196372 FaxOut Notification.					














				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 22:57	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 22:57	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27176348019, Temporary failure 1396 ...	Fri 2020/10/16 22:55	2...			
					Fax status of 27176348019 FaxOut Notification.					
				 Fax Mess...	Transmission Failure (0176348019)	Fri 2020/10/16 22:54	2...			
					Sending fax to 0176348019 failed					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 22:53	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 22:53	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196372, Temporary failure 1396 ...	Fri 2020/10/16 22:53	2...			
					Fax status of 27123196372 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178013661, Failed 1396 SASOL Iren...	Fri 2020/10/16 22:53	2...			
					Fax status of 27178013661 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123412228, Temporary failure 1396 ...	Fri 2020/10/16 22:52	2...			
					Fax status of 27123412228 FaxOut Notification.					
				 Fax Mess...	Transmission Failure (0123196372)	Fri 2020/10/16 22:52	2...			
					Sending fax to 0123196372 failed					
				 Fax Mess...	Fax Status: 27178111207, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:31	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177531602, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:31	2...			
					Fax status of 27177531602 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177126808, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:31	2...			
					Fax status of 27177126808 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:28	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:24	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:24	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:24	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:24	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:23	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:23	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:23	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178111207, Temporary failure 1396 ...	Fri 2020/10/16 16:23	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177531602, Temporary failure 1396 ...	Fri 2020/10/16 16:23	2...			
					Fax status of 27177531602 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177126808, Temporary failure 1396 ...	Fri 2020/10/16 16:23	2...			
					Fax status of 27177126808 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 16:20	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:17	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:17	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:17	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:17	2...			
					Fax status of 27123368664 FaxOut Notification.					

				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 16:16	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 16:16	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 16:16	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178111207, Temporary failure 1396 ...	Fri 2020/10/16 16:15	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177126808, Temporary failure 1396 ...	Fri 2020/10/16 16:15	2...			
					Fax status of 27177126808 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177531602, Temporary failure 1396 ...	Fri 2020/10/16 16:15	2...			
					Fax status of 27177531602 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 16:13	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:13	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 16:12	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:11	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:11	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:11	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:10	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:10	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 16:09	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 16:09	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 16:09	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177126808, Temporary failure 1396 ...	Fri 2020/10/16 16:07	2...			
					Fax status of 27177126808 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178111207, Temporary failure 1396 ...	Fri 2020/10/16 16:07	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177531602, Temporary failure 1396 ...	Fri 2020/10/16 16:07	2...			
					Fax status of 27177531602 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 16:06	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 16:06	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 16:06	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:04	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 16:04	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:04	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:04	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:04	2...			
					Fax status of 27800007788 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Failed 1396 SASOL Iren...	Fri 2020/10/16 16:04	2...			
					Fax status of 27800007788 FaxOut Notification.					



				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27123412228, Temporary failure 1396 ...	Fri 2020/10/16 15:59	2...			
					Fax status of 27123412228 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:59	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:59	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:59	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 15:58	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 15:58	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27137524186, Temporary failure 1396 ...	Fri 2020/10/16 15:58	2...			
					Fax status of 27137524186 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 15:58	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27176348019, Temporary failure 1396 ...	Fri 2020/10/16 15:58	2...			
					Fax status of 27176348019 FaxOut Notification.					
				 Fax Mess...	Transmission Failure (0137668471)	Fri 2020/10/16 15:58	2...			
					Sending fax to 0137668471 failed					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 15:57	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123196943, Temporary failure 1396 ...	Fri 2020/10/16 15:57	2...			
					Fax status of 27123196943 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 15:57	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 15:57	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178111207, Temporary failure 1396 ...	Fri 2020/10/16 15:57	2...			
					Fax status of 27178111207 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177531602, Temporary failure 1396 ...	Fri 2020/10/16 15:57	2...			
					Fax status of 27177531602 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27177126808, Temporary failure 1396 ...	Fri 2020/10/16 15:57	2...			
					Fax status of 27177126808 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123368664, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27123368664 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27800007788 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27800007788, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27800007788 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 15:56	2...			
					Fax status of 27178434001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:55	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Transmission Failure (0123368664)	Fri 2020/10/16 15:55	2...			
					Sending fax to 0123368664 failed					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:55	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178434001, Temporary failure 1396 ...	Fri 2020/10/16 15:55	2...			
					Fax status of 27178434001 FaxOut Notification.					

				From	Subject	Received	S...	Cat...	Mention	
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:55	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27176348019, Temporary failure 1396 ...	Fri 2020/10/16 15:54	2...			
					Fax status of 27176348019 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27178013661, Failed 1396 SASOL Iren...	Fri 2020/10/16 15:54	2...			
					Fax status of 27178013661 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27176348019, Temporary failure 1396 ...	Fri 2020/10/16 15:54	2...			
					Fax status of 27176348019 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123698001, Failed 1396 SASOL Iren...	Fri 2020/10/16 15:54	2...			
					Fax status of 27123698001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:52	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123698001, Temporary failure 1396 ...	Fri 2020/10/16 15:50	2...			
					Fax status of 27123698001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:49	2...			
					Fax status of 27312019525 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27123698001, Temporary failure 1396 ...	Fri 2020/10/16 15:46	2...			
					Fax status of 27123698001 FaxOut Notification.					
				 Fax Mess...	Fax Status: 27312019525, Temporary failure 1396 ...	Fri 2020/10/16 15:45	2...			
					Fax status of 27312019525 FaxOut Notification.					