

Groot pryse by jaarlikse deurnaghengelderby

George-hengelklub se jaarlikse deurnagderby, wat in samewerking met Xtreme Fishing aangebied word, vind die komende naweek van 17 Februarie plaas. Daar is twee afdelings waarin meeding word: rots- en strandhengel, en riviere en mere. Daar is pryse vir juniors (onder 16), vroue en seniors. Met die kompetisie wil George-hengelklub graag die boodskap aan die hengelgemeenskap oordra om vis vry te laat om sodoende die seebronne te beskerm.

Die gebied waar hengelaars kan visvang, strek vanaf Nature's Valley tot Witsand. Prysgeld van R80 000 is op die spel. **Kaartjies is by die volgende winkels beskikbaar:** Xtreme Fishing, Outfitters (George), Xtreme Outdoors, JJ Marine, Stil Fishing (Mosselbaai), Hookers (Sedgefield), Breezers (Knysna) of aanlyn by deurnagderby@gmail.com. Vir enige navrae skakel 044 874 1870.



Gerhard Faber met 'n 32,6kg kabeljou.



GEELHOUTVLEI TIMBERS

POSITION AVAILABLE:

Internal Salesperson

Please email CV to peggy@geelhoutvlei.co.za

OR22713400 PM



HESSEQUA

Plaaslike Munisipaliteit

Junior Brandbestryder: Brandweerdienste: - Hessequa Munisipale Area

(Verw: G095) T8 – R213 696 tot R277 401 bruto salaris per jaar

Besoek ons webtuiste vir die volledige advertensies en om vir hierdie geleentheid aansoek te doen. Die vakatures kan ook op die kennisgewingsborde by die betrokke Munisipale kantore besigtig word. Slegs aansoeke wat op die E-werwings-databasis geregistreer word, sal oorweeg word. Kontak me Adèle Groenewald by 028 713 7800 vir meer besonderhede.

Webtuiste: www.hessequa.gov.za
Sluitingsdatum: 22 Februarie 2024

OR22714724, AJ

King Classic Sudoku

	8				6			
	3		7		8	4		
	6				5			7
4	5	9		8		3		6
		3		6			5	8
8	1	6	5	3			9	
	2	1		5				9
		7		1	4			2
5		8			2			1

Difficulty: ★★ 11/21

King Classic Sudoku

			8					1
		9		6		3		
3		2			4			
							7	6
					7			
2	3			8			9	5
		6		2				
	4			7		8	5	
5	2			1		7	6	

Difficulty: ★★★★★ 11/24

SUDOKU

Fill in all the squares in the grid so that each row, column and each of the 3x3 squares contains all the digits from 1-9.

Not only must each number only appear once for each 3x3 square in each row and each column, it must also appear only once for each vertical column.


ANSWERS OF LAST WEEK

6	2	7	5	1	8	9	4	3
4	5	3	9	6	2	7	1	8
9	8	1	4	3	7	2	6	5
7	6	2	8	9	4	5	3	1
3	9	5	6	7	1	8	2	4
8	1	4	3	2	5	6	7	9
5	3	6	7	4	9	1	8	2
2	4	8	1	5	6	3	9	7
1	7	9	2	8	3	4	5	6

Difficulty: ★★ 11/14

9	7	8	6	3	1	2	4	5
6	3	2	7	5	4	9	8	1
4	5	1	2	8	9	7	3	6
3	2	6	1	9	5	8	7	4
1	8	9	4	7	6	5	2	3
5	4	7	3	2	8	1	6	9
7	9	3	5	4	2	6	1	8
2	6	5	8	1	3	4	9	7
8	1	4	9	6	7	3	5	2

Difficulty: ★★★★★ 11/17



EASycare

QUALITY • FAMILY • HEALTH

VACANCY AVAILABLE

Clinical Nurse Practitioner or Clinical associate

- We need the above position to be filled by a competent registered Nurse or Clinical Associate
- Be qualified and registered with the SANC /BHF
- Have a Dispensing certificate and experience in consulting, diagnosing and treating.
- Must be well-skilled with computer use & EHRs.

Prepared to work 8am-5pm Mon- Fridays.
Competitive salary
Applications close on 23 Feb 2024
Email CV to manager@easycare.health

OR22714969 PM



HELP IS AVAILABLE

Suicide Crisis Helpline
0800 567 567

NOTIFICATION REGARDING OPPORTUNITY TO PARTICIPATE IN AN ENVIRONMENTAL AUTHORISATION APPLICATION PROCESS FOR THE PROPOSED ESKOM BLANCO NETWORK STRENGTHENING: NARINA SUBSTATION PROJECT, IN THE GARDEN ROUTE DISTRICT MUNICIPALITY, WESTERN CAPE PROVINCE, SOUTH AFRICA.

Eskom Holdings SOC Ltd. (Eskom) (hereafter referred to as the applicant) has appointed Environmental Impact Management Services (Pty) Ltd (EIMS) as the Environmental Assessment Practitioner (EAP) to assist with undertaking the required authorisation processes (including the statutory public participation), and to compile and submit the required documentation in support of application for the Environmental Authorisation (EA) application in accordance with the NEMA listed activity/ies: GNR 983: Activity 11, 12, 14, 19, 24, 27, 28 and 56; GNR 984: Activity 9 and 15; GNR 945: Activity 4, 12, 14, 15 and 18. Additional listed activities and/or water uses may be identified during the process.

Eskom through their Transmission Grid Planning division have identified transformation constraints at Proteus Main Transmission Substation (MTS) as well as the sub-transmission constraints on the network supplying the Blanco area located in the Western Cape Province. To resolve the network constraints, Eskom proposes the construction and operation of a new 400/132kV Narina main transmission substation with associated loop-in loop-out powerlines close to the load centre (i.e., central distribution point). The required area size for substation location is 600m x 600m to account for current and future needs/plans. The length of the turn-in lines (loop-in loop-out on the Droerivier Proteus 400kV line and the Blanco-Outeniqua 132kV lines) will be determined by the approved substation location.

Two study areas will be assessed for the proposed project: one in the Blanco area (centre point ~33°57'34.82"S 22°20'12.12"E) and the other in the Outeniqua area (centre point ~33°45'53.30"S 22°21'21.94"E), in the George and Oudtshoorn Local Municipalities of the Western Cape Province, respectively. The sites are located approximately 8km and 26km northwest of George, respectively.

EIMS will be following the procedures defined in the Environmental Impact Assessment (EIA) Regulations (GRN982 of 2014, as amended) for undertaking a Scoping and Environmental Impact Assessment (EIA) process. In accordance with Chapter 6 of the EIA Regulations, a public participation process will be undertaken. You are hereby invited to register and comment on the proposed project and application/s. In order to ensure that you are identified and registered as an I&AP and that your comments are captured, please submit your name, contact details, the reason for your interest or any comments, in writing or telephonically, to EIMS. Please note that the Scoping Report will be made available for public review in the coming weeks. Please note that only registered I&AP's will be informed of future project information and opportunities for participation. By registering as an interested and affected party you consent to the collection and processing of your personal information as per the EIMS Privacy Notice available at www.eims.co.za/public-participation. In order to avoid missing out on opportunities for public participation please submit I&AP registrations, or any queries, comments, or concerns with regards to this application, as soon as possible to EIMS.

ISAZISO MALUNGA NETHUBA LOKUTHATHA INXAXHEBA KWINKQUBO YOKUFAKA ISICELO SOGUNYAZISO LWEZENDALO LWE-PROJEKTHI ECETYWAYO YOKOMELEZA UTHUNGELWANO OLUBONELELA UMMANDLA WASE BLANCO: IPROJEKTHI YESITISHI (SUBSTATION) SASE-NARINA, KWINGINGQI KAMASIPALA WASE-GARDEN ROUTE, KWIPHONDO LASENTSHONA KOLONI, EMZANTSI AFRIKA.

I-Eskom Holdings SOC Ltd. (Eskom) (ekubhekiselwa kuyo njengomfaki-sicelo) ityumbe i-Environmental Impact Management Services (Pty) Ltd (EIMS) njenge-Environmental Assessment Practitioner (EAP) ukuncedisa ekwenzeni iinkqubo zogunyaziso ezifunekayo (kuquka nokuthatha inxaxheba koluntu ngokusemthethweni), kunye nokuqulunga nokungenisa amaxwebhu afunekayo ukuxhasa isicelo soGunyaziso lweze Ndalo (EA) ngokuhambelana noMthetho woLawulo lokuChaphazeleka kokusiNgqongileyo nezeNdalo (NEMA) imisebenzi edwelisiweyo: GNR 983: Umsebenzi 11, 12, 14, 19, 24, 27, 28 no-56; GNR 984: Umsebenzi 9 no-15; GNR 945: Umsebenzi 4, 12, 14, 15 no-18. Imisebenzi eyongezelelekileyo edwelisiweyo kunye/okanye ukusetyenziswa kwamanzi kunokuchongwa ngexesha lale nkqubo.

I-Eskom ngecandelo lakhe loCwangciso lweGrid yeTransmishini iye yachonga imiqobo yenguqu kwiProteus Main Transmission Substation (MTS) kunye nemiqobo ye-sub transmission kuthungelwano olubonelela ummandla waseBlanco okwiPhondo leNtshona Koloni. Ukusombulula imiqobo yothungelwano, u-Eskom uceba ukwakha nokusebenzisa isitishi sothungelwano olungundoqo (main transmission substation) esitsha esiyaNarina 400/132kV kunye neentambo zombane zohlobo i-Loop-in Loop-out ezikufutshane neziko lomthwalo (oko kukuthi, indawo yokusasaza esembindini). Ubungakanani bommandla ofunekayo wendawo yesitishi yi-600m x 600m ejongene neemfuno/izicwangciso zangoku nezexesha elizayo. Ubude beentambo ezijika ngaphakathi (i-loop-in loop-out kwintambo eyi-400kV ye-Droerivier Proteus kunye neentambo eziyi-132kV ze-Blanco-Outeniqua) buya kumiselwa ngummandla ovunyiweyo wesitishi.

Iindawo zophononongo ezimbini ziya kuhloliswa iprojekthi ecetywayo: enye ikwindawo yaseBlanco (indawo esembindini ~33°57'34.82"S 22°20'12.12"E) nenye ekwindawo yase-Outeniqua (indawo esembindini ~33°45'53.30"S 22°21'21.94"E), kuMasipala weNgingqi yaseGeorge nase-Oudtshoorn we Phondo laseNtshona Koloni, ngokulandelelana. Iindawo zophononongo zimalunga ne-8km kunye ne-26km kumntla-ntshona waseGeorge, ngokulandelelana kwazo.

I-EIMS iza kulandela iinkqubo ezichazwe kwiMimiselo yoHlobo loChaphazeleko lokusiNgqongileyo nezeNdalo (EIA) (i-GRN982 ka-2014, njengoko ilungisiwe) ukuze kuqaliswe inkqubo yokuPhanda nokuHlola uChaphazeleko lokuSingqongileyo nezeNdalo (EIA). Ngokuvumelana neSahluko 6 seMimiselo ye-EIA, inkqubo yokuthatha inxaxheba koluntu iya kwenziwa. Uyaminywa ukuba ubhalise kwaye unikele uluvo ngeprojekthi ecetywayo kunye nezicelo. Ukwenzela ukuqinisekisa ukuba ubhalisiwe njenge-I&AP kwaye uluvo lwakho lufakiwe, nceda ungenise igama lakho, iinkcukacha zohagamshekwano, isizathu somdla wakho okanye naluphi na uluvo, ngembalelwano okanye ngomnxeba, kwi-EIMS. Nceda uqaphele ukuba i-Scoping Report siyakufumaneka ukuze siphononongwe luluntu ze lufake ingxelo kwezi veki zizayo. Nceda uqaphele ukuba zii-I&AP eziqinisekileyo kuphela eziya kwaziswa ngencakazo yeprojekthi yexesha elizayo kunye namathuba okuthatha inxaxheba. Ngokubhalisa njengomntu onomdla nochaphazelekayo uyakuvuma ukuqokelelwa kunye nokusetyenziswa kwenkcazelo yakho yabucala ngokweSaziso sotyenziso kwee-Nkcukacha zaBucala se-EIMS (EIMS Privacy Notice) esifumaneka ku www.eims.co.za/public-participation. Ukuze ungaphoswa ngamathuba okuthatha inxaxheba koluntu nceda ubhalise okanye ungenise nayiphi na imibuzo, uluvo, okanye iinkxalabo malunga nesi sicelo, ngokukhawuleza kangangoko kwi-EIMS ku:

Contact Person/ Kontak Persoon/ Umntu woQhakamshelwano: Jolene
EIMS Reference Number/ EIMS Verwysingsnommer/ Inombolo yesalathisi ye-EIMS: 1495
E-mail/ E-pos/ I-imeyili: narina@eims.co.za

Telephone/ Telefoon/ Umnxeba: (011) 789 7170
Postal Address/ Posadres/ Idilesi Yeposi: P.O. Box 2083; Pinegowrie 2123
Fax/ Faks/ iFeksi: (086) 571 9047





Leerder van Laerskool Wesbank in aksie.



Leerder van Sacred Heart seil oor die hekkies.



Leerder van Bergsig Primêr maak gereed om die bal ver te gooi in die gewigstoot-velditem.

Atletiekkooors by tartanbaan

Atletiekkooors het die afgelope Saterdag hoog geloop by die De Jager-sportkompleks se tartanbaan met al die laerskole in die Oudtshoorn-omgewing wat mekaar aangedurf het. Die koel reënigerige weer was ideaal vir atletiek wat ook verantwoordelik was vir 'n volgepakte stadion.

Na afloop van die byeenkoms is die Oudtshoorn-atletiekspan gekies wat op 24 Februarie teen George, Knysna, Plettenbergbaai, Hessequa, Mosselbaai en Kannaland sal meeding.

Hierdie byeenkoms is ook by Oudtshoorn-tartanbaan waarna die Eden-atletiekspan aangewys sal word.



Leerder van Laerskool Laurus in aksie in die diskus-item. Foto's: Louis Fourie



Naelloopatleet van Laerskool Laurus wys haksene vir sy teenstanders.

NOTIFICATION REGARDING OPPORTUNITY TO PARTICIPATE IN AN ENVIRONMENTAL AUTHORISATION APPLICATION PROCESS FOR THE PROPOSED ESKOM BLANCO NETWORK STRENGTHENING: NARINA SUBSTATION PROJECT, IN THE GARDEN ROUTE DISTRICT MUNICIPALITY, WESTERN CAPE PROVINCE, SOUTH AFRICA.

Eskom Holdings SOC Ltd. (Eskom) (hereafter referred to as the applicant) has appointed Environmental Impact Management Services (Pty) Ltd (EIMS) as the Environmental Assessment Practitioner (EAP) to assist with undertaking the required authorisation processes (including the statutory public participation), and to compile and submit the required documentation in support of application for the Environmental Authorisation (EA) application in accordance with the NEMA listed activity/ies: GNR 983: Activity 11, 12, 14, 19, 24, 27, 28 and 56; GNR 984: Activity 9 and 15; GNR 945: Activity 4, 12, 14, 15 and 18. Additional listed activities and/or water uses may be identified during the process.

Eskom through their Transmission Grid Planning division have identified transformation constraints at Proteus Main Transmission Substation (MTS) as well as the sub-transmission constraints on the network supplying the Blanco area located in the Western Cape Province. To resolve the network constraints, Eskom proposes the construction and operation of a new 400/132kV Narina main transmission substation with associated loop-in loop-out powerlines close to the load centre (i.e., central distribution point). The required area size for substation location is 600m x 600m to account for current and future needs/plans. The length of the turn-in lines (loop-in loop-out on the Droerivier Proteus 400kV line and the Blanco-Outeniqua 132kV lines) will be determined by the approved substation location.

Two study areas will be assessed for the proposed project: one in the Blanco area (centre point ~33°57'34.82"S 22°20'12.12"E) and the other in the Outeniqua area (centre point ~33°45'53.30"S 22°21'21.94"E), in the George and Oudtshoorn Local Municipalities of the Western Cape Province, respectively. The sites are located approximately 8km and 26km northwest of George, respectively.

EIMS will be following the procedures defined in the Environmental Impact Assessment (EIA) Regulations (GRN982 of 2014, as amended) for undertaking a Scoping and Environmental Impact Assessment (EIA) process. In accordance with Chapter 6 of the EIA Regulations, a public participation process will be undertaken. You are hereby invited to register and comment on the proposed project and application/s. In order to ensure that you are identified and registered as an I&AP and that your comments are captured, please submit your name, contact details, the reason for your interest or any comments, in writing or telephonically, to EIMS. Please note that the Scoping Report will be made available for public review in the coming weeks. Please note that only registered I&AP's will be informed of future project information and opportunities for participation. By registering as an interested and affected party you consent to the collection and processing of your personal information as per the EIMS Privacy Notice available at www.eims.co.za/public-participation. In order to avoid missing out on opportunities for public participation please submit I&AP registrations, or any queries, comments, or concerns with regards to this application, as soon as possible to EIMS.

ISAZISO MALUNGA NETHUBA LOKUTHATHA INXAXHEBA KWINKQUBO YOKUFAKA ISICELO SOGUNYAZISO LWEZENDALO LWE-PROJEKTHI ECETYWAYO YOKOMELEZA UTHUNGELWANO OLUBONELELA UMMANDLA WASE BLANCO: IPOJEKTHI YESITISHI (SUBSTATION) SASE-NARINA, KWINGINGQI KAMASIPALA WASE-GARDEN ROUTE, KWIPHONDO LASENTSHONA KOLONI, EMZANTSI AFRIKA.

I-Eskom Holdings SOC Ltd. (Eskom) (ekubhekiselwa kuyo njengomfaki-sicelo) ityumbe i-Environmental Impact Management Services (Pty) Ltd (EIMS) njenge-Environmental Assessment Practitioner (EAP) ukuncedisa ekwenzeni iinkqubo zogunyaziso ezifunekayo (kuquka nokuthatha inxaxheba koluntu ngokusemthethweni), kunye nokuqulunqa nokungenisa amaxwebhu afunekayo ukuxhasa isicelo soGunyaziso lweze Ndalo (EA) ngokuhambelana noMthetho woLawulo lokuChaphazeleka kokusiNgqongileyo nezeNdalo (NEMA) imisebenzi edwelisiweyo: GNR 983: Umsebenzi 11, 12, 14, 19, 24, 27, 28 no-56; GNR 984: Umsebenzi 9 no-15; GNR 945: Umsebenzi 4, 12, 14, 15 no-18. Imisebenzi eyongezelelekileyo edwelisiweyo kunye/okanye ukusetyenziswa kwamanzi kunokuchongwa ngexesha lale nkqubo.

I-Eskom ngecandelo lakhe loCwangciso lweGrid yeTransmishini iye yachonga imiqobo yenguqu kwiProteus Main Transmission Substation (MTS) kunye nemiqobo ye-sub transmission kuthungelwano olubonelela ummandla waseBlanco okwiPhondo leNtshona Koloni. Ukusombulula imiqobo yothungelwano, u-Eskom uceba ukwakha nokusebenzisa isitishi sothungelwano olungundoqo (main transmission substation) esitsha esiyiNarina 400/132kV kunye neentambo zombane zohlobo i-Loop-in Loop-out ezikufutshane neziko lomthwalo (oko kukuthi, indawo yokusasaza esembindini). Ubungakanani bommandla ofunekayo wendawo yesitishi yi-600m x 600m ejongene neemfuno/izicwangciso zangoku nezexesha elizayo. Ubude beentambo ezijika ngaphakathi (i-loop-in loop-out kwintambo eyi-400kV ye-Droerivier Proteus kunye neentambo eziyi-132kV ze-Blanco-Outeniqua) buya kumiselwa ngummandla ovunyiweyo wesitishi.

Iindawo zophononongo ezimbini ziya kuhlolwa iprojekthi ecetywayo: enye ikwindawo yaseBlanco (indawo esembindini ~33°57'34.82"S 22°20'12.12"E) nenye ekwindawo yase-Outeniqua (indawo esembindini ~33°45'53.30"S 22°21'21.94"E), kuMasipala weNgingqi yaseGeorge nase-Oudtshoorn we Phondo laseNtshona Koloni, ngokulandelelana. Iindawo zophononongo zimalunga ne-8km kunye ne-26km kumntla-ntshona waseGeorge, ngokulandelelana kwazo.

I-EIMS iza kulandela iinkqubo ezichazwe kwiMimiselo yoHlobo loChaphazeleko lokusiNgqongileyo nezeNdalo (EIA) (i-GRN982 ka-2014, njengoko ilungisiwe) ukuze kuqaliswe inkqubo yokuPhanda nokuHlola uChaphazeleko lokuSingqongileyo nezeNdalo (EIA). Ngokuvumelana neSahluko 6 seMimiselo ye-EIA, inkqubo yokuthatha inxaxheba koluntu iya kwenziwa. Uyamenywa ukuba ubhalise kwaye unikele uluvo ngeprojekthi ecetywayo kunye nezicelo. Ukwenzela ukuqinisekisa ukuba ubhalisiwe njenge-I&AP kwaye uluvo lwakho lufakiwe, nceda ungenise igama lakho, iinkcukacha zoghagamshelwano, isizathu somdla wakho okanye naluphi na uluvo, ngembalelwano okanye ngomnxeba, kwi-EIMS. Nceda uqaphele ukuba i-Scoping Report siyakufumaneka ukuze siphononongwe luluntu ze lufake ingxelo kwezi veki zizayo. Nceda uqaphele ukuba zii-I&AP ezibhalisiweyo kuphela eziya kwaziswa ngenkcazelo yepojekthi yexesha elizayo kunye namathuba okuthatha inxaxheba. Ngokubhalisa njengomntu onomdla nochaphazelekayo uyakuvuma ukuqokelelwa kunye nokusetyenziswa kwenkcazelo yakho yabucala ngokweSaziso sotyenziso kwee-Nkcukacha zaBucala se-EIMS (EIMS Privacy Notice) esifumaneka ku www.eims.co.za/public-participation. Ukuze ungaphoswa ngamathuba okuthatha inxaxheba koluntu nceda ubhalise okanye ungenise nayiphi na imibuzo, uluvo, okanye iinkxalabo malunga nesi sicelo, ngokukhawuleza kangangoko kwi-EIMS ku:

Contact Person/ Kontak Persoon/ Umntu woQhakamshelwano: Jolene
EIMS Reference Number/ EIMS Verwysingsnommer/ Inombolo yesalathisi ye-EIMS: 1495
E-mail/ E-pos/ I-imeyili: narina@eims.co.za

Telephone/ Telefoon/ Umnxeba: (011) 789 7170
Postal Address/ Posadres/ Idilesi Yeposi: P.O. Box 2083; Pinegowrie 2123
Fax/ Faks/ iFeksi: (086) 571 9047

